


# Clarion

## 2-DIN

## BKX-1190-11



Installation manual for:  
**Mercedes Benz C-Class (W203-007)  
04-2004-> C- & T- Models Mercedes  
Benz CLK (W209-4) 04-2004->  
Mercedes Benz SLK (W171)**



Installation kit includes the following items:



- \* 1X 2-ISO 100 mm. metal bracket
- \* 1X Replacement panel
- \* 1X Radio trim
- \* 2X Mounting plates
- \* 2X Mounting spacers
- \* 2X Radio removal keys
- \* 4X Screws
- \* 2X Cushion

### EXAMPLE



We advice to use the following positions.  
Other positions are also possible.

Use position 2 marked with a cross.  
Use position 12 & 14 marked with an arrow.  
Measured from left to right.



We advice to use the following positions.  
Other positions are also possible.

Use position 2 marked with a cross.  
Use position 14 & 16 marked with an arrow.  
Measured from left to right.

\* Mount the plates.

Remark: The fixing position can be different between Audio and Multimedia unit!

# Clarion

2-DIN

BKX-1190-11

1



Car is equipped with original head unit

2



To turn ventilation shaft up, use a screwdriver to unlock the locking clip

3



Remove 2x Torx 20 and turn ventilation shaft down, use a screwdriver to unlock the locking clip

4



To turn ventilation shaft up, use a screwdriver to unlock the locking clip

5



Remove ventilation shaft en remove 2x Torx 20. Then remove panel.

6



remove panel around gear lever and then remove ashtray.

7



Remove 2x Torx 20 and use plastic wedge to remove panel.

8



Remove 4x Torx 20 and remove original head unit

9



Place the replacement panel.

Place the 2-DIN metal Bracket

10



Place panels back in reverse order.

Connect all of the needed wiring harnesses and check all connections carefully