Clarion: a global brand that puts your future first

Clarion was founded in 1940, and ever since developing Japan's first car radio in 1951, continues to actively develop new products, based on new technologies. Born in Japan, and widely adopted by automobile manufacturers all over the world, Clarion is an unstoppable source of innovation, inspired by the current and future needs of drivers like you. Clarion specialises in in-vehicle equipment and systems, so our attention is tightly focused on your car and lifestyle. That is why we are able to offer maximum value for your investment. From the latest innovations to the unchanging pursuit of sound excellence, count on Clarion to deliver satisfaction to your drive.

- Specification and design are subject to change without notice
- Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors
- Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories.
- "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod®, or iPhone®, respectively, and has been certified by the developer to meet Apple performance standards.
- · Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.
- Please note that the use of this accessory with iPod or iPhone may affect wireless
- iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other
- The trademark and the Bluetooth® logo are owned by Bluetooth® SIG, Inc. and any utilisation of these trademarks by Clarion is carried out under licence.
- DivX®, DivX® Certified, and associated logos are trademarks of Rovi Corporation or its subsidiaries and are used under license.
- DivX Certified® to play DivX® video, including premium content.
- Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274
- All units in this catalogue are primarity intended for installation in passenger cars. Use in lorries, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended.

- It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file.
- There's no guarantee that all units in this catalogue play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW.
- USB digital media streaming models. This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft. Windows Media and the Windows logo are trademarks or registered of Microsoft Corporation in the United States and/or other countries
- Please see the Clarion website for iPod models that can be connected.
- The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment.
- LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective.
- This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft. Windows Media and the Windows logo are trademarks or registered of Microsoft Corporation in the United States and/or other countries.
- The SD logo is a trademark of the SD Card Association.
- WMDRM 10 compatible models: this product is protected by certain intellectual property rights of Microsoft Corporation. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft Corporation.

WARNING: Driver is prohibited by law from viewing a video signal on any in-dash monitor while the vehicle is in motion.



Clarion (Malaysia) Sdn., Bhd.
Phase 1, Free Industrial Zone, 11900 Bayan Lepas, Penang, Malaysia
Office Phone: +60-4-6148-400, Office Fax: +60-4-6438-713


Clarion (H.K.) Industries Co., Ltd.

Unit 712, 7 F, Tower 1, Harbour Centre, 1 Hok Cheung Street, Hung Hom, Kowloon, Hong Kong Tel: (852) 2723-2088, Fax: (852) 2723-1991

Clarion Co., Ltd.

7-2 Shintoshin, Chuo-ku, Saitama-shi, Saitama, 330-0081, Japan Tel: (81)48-601-3700, Fax: (81)48-601-3701

Distributor



Original ways to match the design with your car



iPod® and iPhone® and Parrot Bluetooth® connectivity paves your way.



Bluetooth





NX501CBRII **Bora (VOLKSWAGEN)**

2-DIN DVD multimedia station with 7-inch touch panel control. **USB** and built-in navigation







Reach your destination in style and confort

NX501C

2-DIN DVD multimedia station with 6.2-inch touch panel control, **USB** and built-in navigation











- * For audio playback, please use the USB cable provided with your iPod and iPhone.
- *For video playback, an optional CCA750 cable is required.

 *Please see our website for details of compatible iPod and iPhone models.

 *Product is DAB-ready, however DAB functionality may not available in your area.

Navigation solution for your everyday needs

NX501CVX

2-DIN DVD multimedia station with 6.2-inch touch panel control, USB and built-in navigation



Intuitive operation and multi connectivity deliver maximum enjoyment from day one

Access a myriad of features via the touch panel graphical interface and scroll through multiple pages with flick operation. Large icons make it easy to access all sources, a connected iPod or iPhone, or wirelessly linked phone or other device with Bluetooth technology. Count on technical sophistication in a simple to use centre unit.

Bluetooth





Visual entertainment is at home in your car

VX402A

2-DIN DVD multimedia station with 6.2-inch touch panel control, USB and



VZ402A DVD multimedia station

with 7-inch touch panel control, USB and built-in





Enjoy home theatre presence in your car



VT1510B

DVD





VT1010B 10.2-inch wide screen LCD overhead





CCA-748

necting cable

CZ202A/CZ202AR/

CZ501A/CX501A/

iPod video

• For CZ302A/

CX201A









VMA773

Rear vision camera

CC4001U Rear vision CMOS camera



Accessories

CCA-750

iPod video

connecting

For NX702A/

NX502A/NX403A

VX402A/VZ402A/CZ703A

cable

VAZOO amplifier

WH204 / WH114H Wireless headphone systems

• WH204: Dual channel IR wireless headphone WH114H: Replacement and/or additional single channel headphone

CCA-755

USB extension cable

For NX702A/NX502A/

CX501A/CX201A

NX403A/VX402A/VZ402A

CZ703A/CZ302A/CZ202A



Infrared remote control

Infrared remote control

• For NX702A/NX502A

BCXOO7

RCX005

RCB199 External microphone For VX402A/VZ402A/CZ703A

RCB204 External microphone For NX702A/NX502A/NX403A

CZ202AR/CZ102A/CZ102AR RCB176-200 Infrared remote control • For VX402A/VZ402A/NX403A • For CX501A/CX201A

Infrared remote control

For CZ703A/CZ302A/CZ202A

MULTIMEDIA	■ MEDIA ■ CONNECTION										■ NAVIGATION ■ AUDIO						■ GENERAL																		
FEATURES	DIVX	VIDEO	DESTRUCTION OF TEXT	55	MP3/WMA	MP3/WMA/AAC	MPEG4	DIGITAL	FM/AM	₿ Bluetooth	Parrot nove winds	Made for iPhone	Rear USB	ZONE	4V/6ch	\$7/6ch	\$N\\$ch	Rear Vision Camera	AUX	Built-in navigation Storage	Subwoofer level control	M-BASSEX	24 bit	BeatEQ Plus	BeatE0	LPFVHPF	\\ LPF		MOS-FET SOW×4 ≈	MOS-FET 45W×4 ≋	40W×4	728 color Key	TOUCH PANEL	TOUCH	OEM Remete resits
NX501CBRII	_	•	•	•	•	_	•	•	18 FM, 6 AM	Built-in*1	•	USB (Audio/Video)*2	•	•*3	•	_	_	•*4	*5	● *7	•	•	•	_	•	● *8	-	-	•	-	-	-	•	•	•
NX501C	_	•	•	•	•	_	•	•	18 FM, 6 AM	Built-in*1	•	USB (Audio/Video)*2	•	•*3	•	_	_	•*4	●*6	● *7	•	•	•	_	•	● *8	-	-	•	-	-	_	•	•	•
NX501CVX	-	•	•	•	•	-	•	•	18 FM, 6 AM	Built-in*1	•	USB (Audio/Video)*2	•	•*3	•	_	_	•*4	●*6	●*7	•	•	•	_	•	● *8	-	-	•	-	-	-	•	•	•
VX402A	•	•	•	_	•	_	_	•	18 FM, 6 AM	Built-in*1	•	USB (Audio/Video)*2	•	_	_	•	_	•*4	●*6	_	•	_	•	_	_	_	•*9	-	_	_	•	_	•	-	•
VZ402A	•	•	•	_	•	_	_	•	18 FM, 6 AM	Built-in*1	•	USB (Audio/Video)*2	•	_	_	•	_	•*4	●*6	-	•	_	•	_	_	-	● *9	-	_	-	•	-	•	-	•

Entertainment seamlessly connects to your style of drive



CZ703E

CD/USB/MP3/WMA/Bluetooth receiver 728 variable colour illumination **Time Alignment & crossover**



Dual USB front and rear connectors

Enjoy music to the fullest. With one USB terminal on the front and another on the rear, it's easy to connect a variety of sources. In addition to iPod® and iPhone®, you can play music files stored on a USB memory device. Music CDs and home burned MP3/ WMA discs are supported. Together with advanced audio features like Beat EQ plus and Time Alignment, the sound you hear will be high quality.



Sound solution for your digital media



Bluetooth 🦻 **BiPod ☐iPhone**







Front USB terminal is compatible with iPod and iPhone and USB memory devices. iPod functions can be controlled from CZ302E/CZ202E/ CZ501A/CX501A/



CZ202E CD/USB/MP3/WMA receiver



CZ102E CD/MP3/WMA receive

Musical media meets high impact design





The CZ103A supports MP3 and WMA files for extended musical eniovment. including ID3-TAG

display data

Front

Extreme connectivity for your music files



FZ003A **USB/MP3/WMA** receiver Front



Front USB and AUX terminals for connection to a variety of audio (iPod and iPhone not

0



CZ501A BluetoothCD/USB/ MP3/WMA receiver



liPod liPhone

Double DIN powerful performance and looks

□iPod □iPhone



Bluetooth





CX501A

728 variable-colour illumination and buttons allow cosmetic matching to instrument panel or by personal preference.
















AMPLIFIERS / SUBWOOFERS / SPEAKERS

Harness the power of our expertise







480 W 4/3/2-channel

power amplifier



High-performance reproduction of super lows



WQ2510D 1500 W Max. 25 cm (10")



WQ3010D 1500 W Max. 30 cm (12") dual 4-ohm voice coil



Amplifiers	Maximum Power Output	4-Ohm	2-Ohm	Туре	Number of Channels	Dimensions (W × L × H)		
XH7110	850W	450W × 1	850W × 1	Class GH/AB	Mono	407 × 230 × 67 mm		
XH5410	680W	90W × 4	160W × 4	Class AB	4/3/2	373 × 230 × 67 mm		
XH5210	340W	90W×2	160W×2	Class AB	2/1	316 × 230 × 67 mm		
XR2120	570W	280W × 1	400W × 1	Class AB	Mono	354 × 216 × 55 mm		
XR2420	480W	60W × 4	90W × 4	Class AB	4/3/2	354 × 216 × 55 mm		
XR2220	280W	65W × 2	95W×2	Class AB	2/1	294 × 216 × 55 mm		

Subwoofers	Size	Maximum Power Handling	High Strength Stamped Steel	Dual Voice Coil	Dimensions (W × H × D)
WQ3010D	30cm (12")	1500W	•	•	297 × 297 × 156 mm
WQ2510D	25cm (10")	1500W	•	•	248 × 248 × 139 mm

Hear every nuance, experience every expression, with the sound of a true original.




HX-D3

Hi-Fidelity CD receiver/CeNET control



HX PROMPF 24 bit PED 47/8ch RUX PANET

- Dual 24-bit / 96kHz sampling digital to analogue burr-brown converter and DSP
- Built-in 4-way crossover
- 5-band parametric equaliser • Digital Time Alignment for each line level output
- 8-channel/4-volt gold plate oxygenfree RCA output
- 0.5dB-step electronic volume adjustment circuit
- Copper plated chassis
- CeNET iPod® interface compatible (EA1251 is required)
- Extreme realism with higher



♦Conceptual diagram of

Experience the music, live in the sound



SRP1322S 300 W Max. 13 cm (5-1/4")

SRP1722S 350 W Max. 16.5 cm (6-1/2") 2-way component system

BESSSSSS







SRE6952R 600 W Max. 15 cm × 23 cm (6" × 9") multiaxial 5-way



SRE6932R 400 W Max. 15 cm × 23 cm



SRE2032R 400 W Max. 20 cm (8")



SRE1722R 280 W Max. 16.5 cm (6-1/2") coaxial 2-way



SRE1732R 300 W Max. 16.5 cm (6-1/2") multiaxial 3-way



SRE1332R 250 W Max. 13 cm (5-1/4") multiaxial 3-way



SRE212H 200 W Max. 2.5 cm (1")





SRG1622R 250 W Max. 16 cm (6-1/2")

SRG6932R 15 cm × 23 cm (6" × 9")



SRG1322R 230 W Max. 13 cm (5-1/4")



SRG1022R 180 W Max. 10 cm (4")



SRG6932R 400 W Max. 15 cm × 23 cm (6" × 9") multiaxial 3-way

SRP Speakers	Size	Maximum music power	Туре
SRP1722S	16.5 cm (6-1/2")	350 W	2-way component system
SRP1322S	13 cm (5-1/4")	300 W	2-way component system
SRG Speakers	Size	Maximum music power	Туре
SRG1622R	16 cm (6-1/2")	250 W	Coaxial 2-way
SRG1322R	13 cm (5-1/4")	230 W	Coaxial 2-way
SRG1022R	10 cm (4")	180 W	Coaxial 2-way

SRE Speakers	Size	Maximum music power	Туре
SRE6952R	15 cm × 23 cm (6" × 9")	600 W	Multiaxial 5-way
SRE6932R	15 cm × 23 cm (6" × 9")	400 W	Multiaxial 3-way
SRE2032R	20 cm (8")	400 W	Multiaxial 3-way
SRE1722R	16.5 cm (6-1/2")	280 W	Coaxial 2-way
SRE1732R	16.5 cm (6-1/2")	300 W	Multiaxial 3-way
SRE1332R	13 cm (5-1/4")	250 W	Multiaxial 3-way
SRE212H	2.5 cm (1")	200 W	Balanced-drive tweeter