

clarion

2017-2018



Works with Apple CarPlay

EISA AWARD Best Product 2016-2017
IN-CAR INNOVATION
Clarion Full Digital Sound

Full Digital Sound

MARINE SYSTEMS



Vision and foresight at the core of every product

Clarion was founded in 1940, and ever since developing Japan's first car radio in 1951 has continued to actively develop breakthrough technologies and launch innovative products. Clarion's trusted technologies are incorporated by leading car manufacturers all over the world, under our brand name or otherwise, and are playing a key role in enhancing the relationship between people and their vehicles.

Clarion's original research and development expertise has been the driving force providing not only entertainment, but also a safer and more secure driving environment for many generations. And by accommodating the convergence of cars and networks, people's cars are rapidly becoming one of the most fulfilling places to experience high-quality digital content and access a wealth of information.



Corporate Commitment

To improve society by seeking to develop the relationship between sound, information, and human interaction, and by creating products that meet those needs.

Corporate Vision

The connection between sound and information communication in the mobile environment of the car will evolve into new domains based on our unique ideas and advanced technologies. Through this, we will provide safety, security, comfort and excitement to our customers all over the world. We at Clarion will remain at the forefront of the industry, as we accurately identify the needs of the market and realize long-term growth.



Bright future through brilliant technologies

The world's first Full Digital Sound

Clarion was the first manufacturer to develop and market the full digital speaker, which balances premium sound with eco friendliness. Through a collaboration of Dnote digital signal processing technology and Clarion's own in-car acoustic technologies, the full digital sound system successfully achieved a totally digital-to-digital signal transfer from the digital source all the way to the speaker.

Advanced image recognition and processing for a safer drive

Clarion is actively involved in Intelligent Safety, which utilises image recognition and image processing technologies to support users in driving and parking. Development includes an all-round-view camera that visually displays information on the vehicle's immediate surroundings.

Apple CarPlay™ compatible for an advanced driving experience

Apple CarPlay is the smarter, safer way to use iPhone in your car. Apple CarPlay seamlessly integrates your iPhone® with NX807. Now you can make phone calls, access your music, send and receive messages, get directions, and more while you stay focused on the road.


Enjoy long drives with family and friends

Clarion offers a line-up of car navigation systems geared especially for camping vehicles — they even remove routes that are legally inaccessible to camping vehicles automatically, and display camping facility information, including pictures. The latest advances, such as Apple CarPlay, are supported. Use voice commands, such as search, and enjoy music stored on your smartphone or USB device. Make the most of your long-haul excursions with family and friends.

Full Digital Sound



Intelligent Safety



Clarion Leads the World in Full Digital Sound

Full Digital Sound

Z3

Full Digital Sound Processor
(Sound Processor / Tweeter / Commander)

Z7

Full Digital Speaker

Z25W

Full Digital Subwoofer



A bold design with solid metal components positioned on the black body



Champagne gold trims further accentuate the bold design



From source to speakers, digital-to-digital changes audio

Full digital signal transfer from a digital source enables direct input of high-resolution audio sources to the speakers without loss. High-quality full digital sound is reproduced, with purity that's true to the original. High efficiency conversion from digital signals into sound makes the system capable of delivering 4 times the high power output of conventional Full Digital Sound Systems^{*1}, while achieving low power consumption that's only about 1/5th that of analogue systems^{*2}.

*1 Compared to other Clarion references.
(Conventional Full Digital Sound Systems were only sold in the Japanese market)
*2 Compared to the driving circuit of a typical factory original audio system.

Conventional System



Full Digital Sound System



Dnote * Trigenice Semiconductor's Dnote technology is used for digital signal processing. Dnote is a registered trademark of Trigenice Semiconductor, Inc.

Digital sound processor delivers versatility

Digital sound processor accommodates factory original centre unit as well as those from other manufacturers, and external digital audio equipment. The ability to connect analogue speakers also contributes to the system's versatility.

Optical digital output for assured Clarion connectivity

If the centre unit is a Clarion car navigation system (Digital output compatible), it's easy to create a full total digital system and enjoy leading-edge digital sound.

NX807E, NX807E C, NX706E, NX706E C
* Check the Clarion website for connectable models.
<http://www.clarion.com/xs/en/products-personal/multimedia/>




World's first^{*3} dedicated LSI for automotive grade – originally developed by Clarion

Clarion developed the first dedicated LSI for automotive grade that efficiently converts digital signals into sound, helping to achieve higher quality playback of Full Digital Sound, while ensuring efficient energy consumption.




*3 As of September 2015 (Clarion research)

Example of Full Digital Sound system



Example of mixed system including analogue system



Intuitive tuning using your smartphone or tablet

By installing an application on your smartphone or tablet, you can enjoy high-precision sound tuning like Crossover, Time Alignment and Equaliser and more with an intuitive touch operation. Fine tuning of each parameter can be done with a few simple steps.



Swipe & double tap enabled

Drive your driving environment

NX807E

2-DIN DVD multimedia station with built-in navigation & 17.8 cm (7-inch) touch panel control






NX807E



Apple CarPlay™ compatible for an advanced driving experience

Enjoy safer operation of your iPhone® features in your car — make calls, listen to music, or even send and receive messages, get directions, and more while you stay focused on the road.



■ Phone

Apple CarPlay works with Siri so you can access contacts and make calls, redial, and listen to stored messages by voice activation.

■ Music

Siri lets you play music from your iPhone just by saying the tune, artist name or genre. It supports Apple Music® so you can get the latest tunes.

■ Apps

Apple CarPlay works with your iPhone apps, so your enjoyment is limitless including Music, Audiobooks, Podcasts, and beyond.



Gyro sensor and vehicle speed pulse sensor for high-precision car navigation

The internal gyro sensor enables the vehicle's location to be followed even in long tunnels where GPS reception is poor. The vehicle speed pulse sensor provides higher-accuracy car navigation.



Line-up of DAB-ready models to meet your needs

Clarion offers a selection of DAB-ready source units which allow easy, direct connection of the DAB404E receiver.
*Compatible with NX405E, NX405E C, NX706E, NX706E C, NX807E, NX807E C, VX404E



DAB404E



Rediscover the great outdoors via GPS navigation with camping facility information and anywhere entertainment

NX807E C

2-DIN DVD multimedia station with built-in navigation for camping vehicle & 17.8 cm (7-inch) touch panel control



NX807E C



Full Digital Sound READY



(Optional RCX006)



(Optional RCX006)

NX706E C

2-DIN DVD multimedia station with built-in navigation for camping vehicle & 17.8 cm (7-inch) touch panel control



Siri® Eyes Free



Full Digital Sound READY



NX706E C

NX405E C

2-DIN DVD multimedia station with built-in navigation for camping vehicle & 15 cm (6-inch) high-resolution display







NX405E C

Navigation optimised for camping vehicles (NX405E C, NX706E C, NX807E C)



The GPS navigation system of the NX405E C, NX706E C, NX807E C incorporates map data that has been optimised for driving camping vehicles and caravans. It can search for and display routes that avoid areas that are restricted due to the size and weight of your vehicle. In addition, information about camping areas and sanitation facilities are included to make your trip as comfortable as possible, with the optimum route available.



Expand your world, right from your car

NX706E

2-DIN DVD multimedia station with built-in navigation & 17.8 cm (7-inch) touch panel control



NX706E



(Optional RCX006)



Made for iPod iPhone

Siri® Eyes Free



Full Digital Sound READY



Optical digital output for system upgradability (NX706E, NX706E C, NX807E, NX807E C)

Full Digital Sound READY



Thanks to the optical digital output, an optical cable can be used to connect to external units such as Clarion's exclusive Full Digital Sound system or DSP devices to upgrade your system to digital. Connecting the source unit to the Full Digital Sound system enables you to enjoy cutting-edge high-quality full digital end-to-end sound.



(Optional RCB198)



(Optional RCX006)

NX505E

2-DIN DVD multimedia station with built-in navigation / Smart Access



NX505E

NX405E

2-DIN DVD multimedia station with built-in navigation & 15.2 cm (6-inch) touch panel control



NX405E

Intelligent VOICE Smart Access



Made for iPod iPhone

Intelligent Tune

Made for iPod iPhone



Built-in DAB (Digital Audio Broadcasting)



DAB broadcasts radio programmes via a digital signal usually assigned to the FM frequency range and offers CD-quality audio. Compared to analogue, DAB's digital signals offer a purer signal with reduced fading and are less affected by weather and interference.

*Optional ZCP133 DAB antenna (sold separately) is required.

Line-up of DAB-ready models to meet your needs



Clarion offers a selection of DAB-ready source units which allow easy, direct connection of the DAB404E receiver.

*Compatible with NX405E, NX405E C, NX706E, NX706E C, NX807E, NX807E C, VX404E

DAB404E



NZ502E

DVD multimedia station with built-in navigation & 17.8cm (7-inch) high-resolution display



NZ502E



A full all-in-one multimedia system in a 1DIN unit

Easy navigation map updates

Link your digital audio / video world to your car



VX407E

2-DIN DVD multimedia station with built-in DAB+ tuner and 15.7 cm (6.2-inch) touch panel control



(Optional RCX008)



VX407E



*Optional ZCP133 DAB antenna (sold separately) is required.



VX404E

2-DIN DVD multimedia station with 15.7 cm (6.2-inch) touch panel control



(Optional RCX006)



VX404E



DAB (Digital Audio Broadcasting) for a superior listening experience

DAB404E

DAB receiver

for NX405E, NX405E C, NX706E, NX706E C, NX807E, NX807E C, VX404E

Features

- DAB, DAB+
- Band-III, L-band
- Ensemble / service seek, PTY
- Ensemble / service label, Dynamic label supported
- Service link (ON / OFF)
- Antenna included



DAB404E



Accessories for navigation & multimedia

<p>RCB198 Optional remote control for NX505E</p> <p>RCX008 Optional remote control for VX407E</p> <p>RCX002 Optional remote control for CZ505E</p> <p>RCX006 Remote control for NX405E, NX405E C, NX706E, NX706E C, NX807E, NX807E C</p> <p>RCB176 Optional infrared remote control for CZ315E, CZ215E</p> <p>RCB204 Optional external microphone</p>	<p>CCA802 HDMI™ cable (type A to type A) NX405E, NX405E C, NX505E, NX706E, NX706E C, NX807E, NX807E C</p> <p>CCA770 HDMI cable (type A to type A) for NX505E</p> <p>CCA771 HDMI cable (type A to type D) for NX405E, NX405E C, NX505E, NX706E, NX706E C, NX807E, NX807E C, VX404E</p>	<p>CCA755 USB extension cable (1.0 m) for CZ215E, CZ315E, CZ505E</p> <p>CCA750 iPod® and iPhone® VIDEO connecting cable for NX405E, NX405E C, NX505E, NZ502E, VX404E</p> <p>CCA772 Front VTR cable for NX505E</p> <p>CCA644P Rear camera input cable for NX505E</p> <p>ZCP133 DAB antenna for NX505E</p>
---	---	--

Multi-connectivity including DAB to vividly highlight your drive

CZ505E

1-DIN DAB / CD / USB / MP3 / WMA / Bluetooth® receiver



* DAB antenna included.

(Optional RCX002)



Made for iPod iPhone



MP3/WMA Front USB



CZ505E

Built-in DAB+ tuner (antenna included)

CZ505E has a built-in DAB tuner that is compatible with both DAB and DAB+ radio broadcasts. Technically these two use different encoding (MP2 for DAB and aacPlus for DAB+) but either way the digital broadcast signal offers

CD-quality audio with more purity and reduced noise compared to analogue. The latest functions, such as service listing in alphabetical order, are supported.

* DAB antenna included.

Smartly designed to integrate your entertainment and communications



CZ315E

CD / USB / MP3 / WMA / Bluetooth receiver



Made for iPod iPhone

Bluetooth® Intelligent Tune

MP3/WMA Front USB



(Optional RCB176)



CZ315E



CZ215E

CD / USB / MP3 / WMA receiver



Made for iPod iPhone

Intelligent Tune MP3/WMA Front USB



(Optional RCB176)



CZ215E

Intelligent Tune

Dynamic Beat Enhancer

Enhancement of the dynamics and beat in the music by dynamic range expansion.

Sound Restorer

Restores compressed audio media such as MP3 or WMA enabling a more enriched reproduction sound quality.

Virtual Bass

Virtual Bass is a technology based on psychoacoustics, in which harmonic elements of low bass sound are added to the signal to reinforce the low range the speaker cannot physically reproduce.

Cutting edge design made mechanism-free



FZ502E

USB / MP3 / WMA / Bluetooth receiver

Made for iPod iPhone

Bluetooth®



MP3/WMA 7Watt Reference Front USB



FZ502E

Solid basic performance that looks so powerful



FZ102E

USB / MP3 / WMA receiver

MP3/WMA Front USB



FZ102E



Shallow mounting depth

MULTIMEDIA SERIES COMPARISON

	NX807E NX807E C	NX706E NX706E C	NX505E	NZ502E	NX405E NX405E C	VX404E	VX407E
Smart Access	—	—	●*1	—	—	—	—
DISC MEDIA	DIVX	—	Disc	Disc	—	Disc	—
	DVD VIDEO	●	●	●	●	●	●
	DISC TEXT	●	●	●	●	●	●
	DOLBY DIGITAL	●	●	●	●	●	—
FILE MEDIA / BROADCAST MEDIA	MP3/WMA	MP3 / WMA / AAC	MP3 / WMA / AAC	●	MP3 / WMA / AAC	MP3 / WMA / AAC	MP3 / WMA / AAC
	MPEG4	●	●	—	●	●	●
	DAB+	—	—	●	—	—	●
	FM/MW	18 FM, 6 MW	18 FM, 6 MW	18 FM, 6 MW	18 FM, 6 MW	18 FM, 6 MW	18 FM, 6 MW
	Bluetooth	●*1	●*1	●*1	●*1	●*1	●*1
	Parrot	—	—	—	●	●	—
	Apple CarPlay	●	—	—	—	—	—
	Make for iPod / iPhone	●*1	●*1	●*1	●*1	●*1	●*1
	Siri® Eyes Free	—	●	—	—	—	—
	HDMI	CCA802 / CCA771*1	CCA802 / CCA771*1	CCA770 / CCA771*1	—	CCA802 / CCA771*1	CCA802 / CCA771*1
CONNECTION	Full Digital Sound	●	●	—	—	—	—
	Rear USB	● Dual	● Dual	●	● Dual	●	●
	4-ZONE	●*2	●*2	—	●*2	●*2	●*2
	4V/6ch	2V/6ch	2V/6ch	4V/6ch	4V/6ch	2V/6ch	2V/4ch
	Rear Vision Camera	●*4	●*4	●*3	●*4	●*4	●*4
	AUX	Rear	Rear	Front / rear	Front / rear	Front / rear	Front / rear
	DVB-T	Optional DVB-T tuner	Optional DVB-T tuner	—	Optional DVB-T tuner	Optional DVB-T tuner	Optional DVB-T tuner
	DAB	Optional DAB404E	Optional DAB404E	Built-in *6	—	Optional DAB404E	Optional DAB404E
	Built-in navigation	●*7	●*7	●*7	●*7	●*7	—
	NAVI	GYRO sensor PULSE sensor	—	—	—	—	—
AUDIO	TUNE	●	●	●	●	●	—
	Intelligent Tune	—	—	●	—	—	—
	H-BASS EX	●	●	—	●	●	—
	24bit	●	●	●	●	—	●
	BeatEQ PURE	—	—	—	BeatEQ	BeatEQ	BeatEQ
	(G-EQ)	15-band	15-band	—	—	—	8-band GEQ
	L.P.F.W.H.P.F.	●	●	●	●	●	●
	MOS-FET 50W x 4	50 W x 4	50 W x 4	50 W x 4	MOS-FET 50 W x 4	MOS-FET 45 W x 4	MOS-FET 45 W x 4
	720 color key	●	●	●	—	●	—
	TOUCH PANEL	●	●	●	●	●	●
GENERAL	OEM	●	●	●	●	●	●

*1 Please see our website for details of compatible iPod® and iPhone®, smartphone models and Bluetooth models. <http://www.clarion.com/xe/en/user-support/connection/>
 *2 Front and rear seat entertainment
 *3 Rear vision camera and CCA644 are sold separately *4 Rear vision camera is sold separately
 *5 Supporting MPEG2, MPEG4, HD TV: resolution limited to 720p *6 DAB+ compatibility
 *7 8 GB (16 GB for NX807E, NX807E C) microSD card stores entire navigation application and map coverage for 46 countries

SOURCE UNITS SERIES COMPARISON

	CZ502E	CZ315E	CZ215E	FZ502E	FZ102E
MEDIA	DIVX	—	●	●	—
	DVD VIDEO	●	●	●	—
	MP3/WMA	●	●	●	●
	DAB+	●	—	—	—
CONNECTION	FM/MW/LW	18 FM, 6 MW, 6 LW			
	Bluetooth	●*1	●*1	—	Parrot *1
	Make for iPod / iPhone	●	●	●	CCA748 *1
	USB	Front	Front	Front	Front
	2V/4ch	●*2	●*2	●*2	●*2
	2V/2ch	—	—	—	●
AUDIO	FRONT	●	●	●	●
	Intelligent Tune	—	●	—	—
	Subwoofer (level control)	●	●	●	●
	H-BASS EX	—	Loudness	Loudness	●*3
	(G-EQ)	—	7-band	7-band	—
	BeatEQ	—	—	—	●*4
	L.P.F.W.H.P.F.	●	●	●	●
	L.P.F.	—	—	●	●
	High Visibility LED	●*5	●*6	●*6	●*5
	Integral Rotary Volume	—	—	—	●
GENERAL	MOS-FET 50W x 4	—	—	—	●
	50W x 4	—	●	—	—
	45W x 4	—	—	—	—
	20W x 4	—	—	—	●
	OEM	●	●	●	●
	DCP	●	●	●	—

*1 Please see our website for details of compatible iPod and iPhone and Bluetooth models. <http://www.clarion.com/xe/en/user-support/connection/>
 *2 Front 2-channel + Rear 2-channel or subwoofer *3 Boost ultra-low frequency *4 Bass boost, Impact, Excite, Custom *5 13 x 10 2-line *6 13 x 10 single-line *7 13 x 8 single-line

MARINE AUDIO SYSTEMS COMPARISON

	CMS4	GR10BT	CMV1	CMDB	M303	M109	CMS5	CM52
MEDIA	DIVX	—	—	●	—	—	—	—
	DVD VIDEO	—	—	●	—	—	—	—
	DISC TEXT	—	—	●	—	—	—	—
	MP3/WMA/AAC	—	—	—	●	●	●	—
	MP3/WMA	●	●	—	●	●	●	●
	DOLBY DIGITAL	—	—	—	—	—	—	—
CONNECTION	Bluetooth	●*1 (aptX)	●*1	—	—	●*1	—	●*1
	Parrot	—	—	—	●	—	—	—
	Make for iPod / iPhone	—	●	●*1	●*1	—	●*1	●*1
	USB	●	●	Rear	Rear	Rear	—	Dual Pigtail
	4V/6ch	—	—	—	—	—	—	●
	3.5V/8ch	—	—	—	—	—	—	—
	2V/6ch	—	—	●	—	—	—	●
	2V/4ch	—	—	—	●*2	●*2	●*2	—
	AUX	1 Audio (Rear)	1 Audio (Rear)	2 AV (Rear)	1 Audio (Rear)	1 Audio (Rear)	1 Audio (Front)	Dual Pigtail
	ICM	—	—	●	—	—	—	—
AUDIO	Front Audio pre-out	—	—	2-channel	—	—	—	2-channel
	4-ZONE	4 zone	—	—	—	—	—	Marine dual zone
	BBE/MP	—	—	●	—	—	—	—
	24bit	—	—	●	●	—	—	—
	(G-EQ)	15-band	3-band	—	—	—	—	—
	High Visibility LED	—	●*3	—	●*4	●*4	●*5	—
	FLIP DOWN	—	—	●	●	—	—	—
	70W x 4	●	—	—	—	—	—	—
	50W x 4	—	—	●	—	—	—	●
	48W x 4	—	—	—	—	—	—	—
GENERAL	45W x 4	—	—	—	—	—	—	—
	TFT Color LCD Monitor	3.5-inch	—	3.5-inch	—	—	—	4.3-inch
	Mixed Remote Ready	MW1/2/4 MF1	—	MW1/2/4 MF1	MW1/2/4 MF1	MW1/2/4 MF1	MW1/2/4 MF1	MW1/2/4 MF1

*1 Please see our website for details of compatible iPod and iPhone and Bluetooth models. <http://www.clarion.com/xe/en/user-support/connection/>
 *2 Front 2-channel + Rear 2-channel or subwoofer *3 3-line *4 13 x 10 2-line *5 13 x 8 single-line

Upgrade your sound with polished compact design and unwavering power

XC1410

300 W micro size 4-channel power amplifier



XC1410

Features

- 300 watts of maximum power output
- 75 watts x 4 channel @ 2-ohms
- 50 watts x 4 channel @ 4-ohms
- Selectable sensitivity Low / High
- Class D power supply and output stages
- Power MOS-FET switching transistors
- Soft turn-on and turn-off circuitry
- Ground loop isolation circuit



MOS-FET power amp

There's only one way for Clarion's main units to deliver unyielding power output and linearity: MOS-FET amplification, or metal oxide semiconductor field effect transistor amplification. Smaller and more efficient than conventional power supplies, a MOS-FET amplification circuit delivers power with less distortion and zero on / off switching noise. This means you can crank up the volume or set it to easy listening. Either way, your sound will be crystal clear.

Circuit design achieves high-quality sound.

Circuit design achieves high-quality sound. Clarion amplifiers feature uncompromising resistance to magnetic noise, thereby minimising distortion. The result is high-quality sound you can enjoy in a variety of systems.

Advanced technologies in micro size


XC1410, despite its compact dimensions, is a superb D-class 4-channel amplifier realising astounding sound output.

2-ohm stability

Utilizing this design for peak performance and unwavering reliability, Clarion's amplifiers can drive lower impedance loads for increased power.

More gravity for the bass line

WG SERIES




WG3020

30 cm (12") single 4-ohm voice coil subwoofer



WG3020




WG2520

25 cm (10") single 4-ohm voice coil subwoofer



WG2520

WF SERIES



WF2520

25 cm (10") single 4-ohm voice coil shallow-mount subwoofer



WF2520



UB2520X

25 cm (10") passive subwoofer with ultra slim sealed box



UB2520X



SB3020X

30 cm (12") passive subwoofer with sealed box



SB3020X



Amplifier /
Subwoofers /
Speakers
Line-up

Technology resonating with savvy



SERIES

● **Component system**

● **Multiaxial 3-way**

400 W Max.

SH1724S

16.5 cm (6-1/2") 2-way
component system



400 W Max.

SH1734R

16.5 cm (6-1/2")
multiaxial 3-way



● **Multiaxial 3-way**

350 W Max.

SH1334R

13 cm (5-1/4")
multiaxial 3-way



600 W Max.

SH6934R

15 cm x 23 cm (6" x 9")
multiaxial 3-way



SERIES

350 W Max.

SRP1723S

16.5 cm (6-1/2") 2-way
component system



300 W Max.

SRP1323S

13 cm (5-1/4") 2-way
component system



SERIES

● **Component system**

350 W Max.

SRG1723S

16.5 cm (6-1/2") 2-way
component system



300 W Max.

SRG1323S

13 cm (5-1/4") 2-way
component system



● **Coaxial 2-way**

280 W Max.

SRG1723R

16.5 cm (6-1/2")
coaxial 2-way



230 W Max.

SRG1323R

13 cm (5-1/4")
coaxial 2-way



200 W Max.

SRG1023R

10 cm (4")
coaxial 2-way



200 W Max.

SRG4623C

10 cm x 15 cm (4" x 6")
custom-fit coaxial 2-way



● **Multiaxial 3-way**

300 W Max.

SRG1733R

16.5 cm (6-1/2")
multiaxial 3-way



250 W Max.

SRG1333R

13 cm (5-1/4")
multiaxial 3-way



● **Balanced-Drive Tweeter**



200 W Max.

SRG213H

2.5 cm (1")
balanced-drive
tweeter

450 W Max.

SRG6933R

15 cm x 23 cm (6" x 9")
multiaxial 3-way



210 W Max.

SRG1033R

10 cm (4")
multiaxial 3-way



250 W Max.

SRG5733C

13 cm x 18 cm (5" x 7")
custom-fit multiaxial 3-way



● **Multiaxial 4-way**

550 W Max.

SRG6943R

15 cm x 23 cm (6" x 9")
multiaxial 4-way



● **Dual Cone**

260 W Max.

SRG1713R

16.5 cm (6-1/2")
dual-cone



210 W Max.

SRG1313R

13 cm (5-1/4")
dual-cone



190 W Max.

SRG1013R

10 cm (4")
dual-cone



● **Multiaxial 5-way**

600 W Max.

SRG6953R

15 cm x 23 cm (6" x 9")
multiaxial 5-way



Made for safer driving Safety cameras and monitor systems



Cameras

COMMERCIAL VEHICLE REAR CAMERA

Durable design, low distortion, low ghosting front guard shutter included (CC6500E only)

CC6500E

CMOS colour camera (with shutter) (wide-angle / mirror image)



CC6600E

CMOS colour camera (without shutter) (wide-angle / mirror image)

Main features of the CC6500E / CC6600E

- Rugged, reliable and durable, high-quality camera system is built from the ground up with all-original parts.
- Latest-generation CMOS sensor with 330,000 pixels which offers low-noise night-time images.
- Fluorine coating on shutter prevents dirt and snow from clinging.

IR ILLUMINATED COMPACT COLOUR CCD CAMERA

Dynamic range function and infrared illuminators improve the driver's visibility in dark situations

CC2020E

IR illuminated colour CCD camera (wide-angle / mirror image)



Features

- Dynamic range function improves the camera image clarity in both light and dark situations.
- 5 built-in infrared emitters.
- Built-in microphone.
- Built-in heating element ensures the camera is ready for use at all times.
- Weather-resistant die-cast aluminium housing.
- Electronic iris.
- Can also be connected to a universal monitor with a composite (RCA) input terminal via the dedicated conversion cable (CCA730). (12V vehicles only)

CMOS COLOUR CAMERA

CC520

CMOS vision assist camera



CC520



CC720

CMOS vision assist camera (true / mirror image)



CC720



Defeatable distance guide lines (red, orange, yellow, green) make parking a cinch

By connecting the CC520, CC720 to a Clarion navigation multimedia unit, you'll be able to view different coloured guide lines to indicate the distance from your vehicle to a safe stopping point.



MONITOR SYSTEM

CJ5600E

5.6-inch colour LCD monitor



CJ5600E



CJ7500E

7-inch wide colour LCD monitor



CJ7500E



CJ7600E

7-inch widescreen digital LCD monitor



CJ7600E



EA2182E

4 camera control box



EA2182E



- Stand-alone mode to provide 4-screen display
- Hazard lights recognition
- ND connector working under Locke



SurroundEye

SurroundEye system

Safe driving support system — SurroundEye

Bird's-eye images captured by multiple vehicle-mounted cameras are displayed on the monitor inside the vehicle. By providing views of areas that are dead angles for the driver, this system supports safer driving.

CC6300E

Ultra wide angle compact CMOS camera (160°true image)



EG2300E

SurroundEye camera controller



RCB210

Selector switch

Buses

Camera mounting positions

4 Cameras

- Front centre: CC6300E (160°true image)
- Rear centre: CC6300E (160°true image)
- Left side: CC6300E (160°true image)
- Right side: CC6300E (160°true image)




Display interlocking


- Backup signal
- Left turn signal
- Right turn signal
- Middle door

Applicable buses

Buses with middle doors
(Total length: Approx. 9 to 12 m)




4 cameras (when turning right and left)




4 cameras (when turning right and left)



4 cameras (when backing up)



4 cameras (middle door open)



Accessories for camera & monitor system

<p>CAA188 Power box for CCD camera</p> <ul style="list-style-type: none"> • 8-pin mini-DIN output for MAX983HD • Reverse gear connection • Manual on / off switch • 12 V compatible 	<p>UG2176A Calibration software and interface module</p>	<p>RCB211 Wireless remote controller for EA2182E</p>	<p>CCA712 Receiver for RCB211</p>	<p>Compact camera cables for CC2011 series and CC1030E cameras</p> <ul style="list-style-type: none"> CCA532 (7 m / 23 ft) CCA533 (10 m / 33 ft) CCA534 (15 m / 49 ft) CCA553 (23 m / 65 ft)
<p>Heavy-duty camera cables for CC2001F, CC2000E, CC2003E, CC2002E</p> <ul style="list-style-type: none"> CCA416 (5 m / 16 ft) CCA392 (7 m / 23 ft) CCA393 (10 m / 33 ft) CCA394 (15 m / 49 ft) CCA395 (20 m / 65 ft) 	<p>Camera extension cables</p> <ul style="list-style-type: none"> CCA439 (0.9 m / 3 ft) CCA391 (5 m / 16 ft) CCA415 (10 m / 33 ft) 	<p>Heavy duty camera cable for connecting CC6500E, CC6600E, CJ7600E</p> <ul style="list-style-type: none"> CCA791 (5 m / 16 ft) CCA792 (7 m / 23 ft) CCA793 (10 m / 33 ft) CCA794 (13 m / 42 ft) CCA795 (15 m / 49 ft) CCA796 (18 m / 59 ft) CCA797 (20 m / 65 ft) CCA798 (23 m / 75 ft) 	<p>Heavy duty extension cable</p> <ul style="list-style-type: none"> CCA799 (0.9 m / 3 ft) CCA800 (7 m / 23 ft) CCA801 (10 m / 33 ft) 	<p>Exchange cable</p> <ul style="list-style-type: none"> CCA788 (0.2 m / 7.87-inch) CCA789 (0.2 m / 7.87-inch) CCA790 (0.3 m / 11.81-inch) CCA818 (0.3 m / 11.81-inch)
<p>CAMERA CABLES for CC3000E</p> <ul style="list-style-type: none"> CCA729 (20 m / 65 ft) <p>For connecting CC3000E, CJ5600E, CJ7000E, CJ7100E</p>	<p>CCA730 for connecting general-purpose AV monitor with video input terminal</p> <ul style="list-style-type: none"> • Only for 12 V vehicles 			

Engineered for the marine environment

CMS4

“Black box” digital media receiver with watertight commander

Made for
iPod iPhone

Bluetooth aptX CSR

MP3/WMA USB AUX INPUT



CMS4



Full 4-Zone Entertainment

Clarion's CMS4 is the ultimate media hub that was developed to enhance the user interface and audio experience.

- Bluetooth® aptX for high-quality stream
- 7-Band graphic equaliser
- 4 Zone audio volume control

GR10BT

USB / MP3 / WMA gauge receiver with no black box

Bluetooth

MP3/WMA USB AUX INPUT



GR10BT



Bluetooth for stereo audio streaming

Built-in Bluetooth provides stereo streaming with a wide variety of Bluetooth compatible devices. Play music stored on your connected Bluetooth device, whether it's a mobile phone or a portable audio player, with wireless convenience.

* Depending on mobile phone.

CMV1

Watertight DVD / CD / USB receiver



CMV1

DVD COMPACT DISC DIGITAL AUDIO TEXT DIVX. Made for iPod

MP3/WMA/AAC Rear USB

CMD8

Watertight CD / USB receiver



Optional RCX002



CMD8

COMPACT DISC DIGITAL AUDIO Made for iPod iPhone

MP3/WMA Rear USB

Engineered to withstand water and salt (CMV1, CMD8)



CMS5

Digital media receiver with 10.9 cm (4.3-inch) colour LCD watertight controller with J1939 compatibility



Hideaway source unit for installation flexibility



Made for iPod iPhone

Bluetooth

MP3/WMA USB AUX INPUT



CMS5

CMS2

Digital media receiver with watertight commander



Just connect your smartphone using the 1.1 Amp USB pigtail for music playback from the CMS2.



Made for iPod iPhone

Bluetooth

MP3/WMA USB AUX INPUT



CMS2



Marine line-up

M303

Bluetooth / CD / USB / MP3 / WMA receiver



Optional RCX002



M303



Made for iPod iPhone



MP3/WMA

AUX INPUT

High Visibility LCD

DCP

MP3/WMA

USB

DCP

M109

CD / MP3 / WMA receiver



M109



Marine speakers and subwoofers



MAX Input 100W

CMG1722R

17 cm (7") coaxial 2-way water resistant speaker



MAX Input 100W

CMG1622R

16.5 cm (6-1/2") coaxial 2-way water resistant speaker



MAX Input 120W

CMG1622S

16.5 cm (6-1/2") 2-way water resistant component speaker system



MAX Input 350W

CMG2512W

25 cm (10") single 4-ohm voice coil water resistant subwoofer



High performance marine speakers and subwoofers

MAX Input 200W

CMQ1622RL

16.5 cm (6-1/2") coaxial speaker system with blue LED illumination



MAX Input 160W

CMQ6922R

15 cm x 23 cm (6" x 9") coaxial 2-way water resistant high performance series speaker



MAX Input 400W

CMQ2512W

25 cm (10") single 4-ohm voice coil water resistant high performance series subwoofer



MAX Input 100W

CM1625

16.5 cm (6-1/2") coaxial 2-way water resistant speaker



MAX Input 200W

CM7123T

18 cm x 25 cm (7" x 10") tower speaker with swiveling clamps



Accessories

MW6

NMEA 2000 interface module for CMD8, CMS2, CMS4, CMS5, CMV1, M303



NMEA 2000 Certified

CCAUSB

USB extension cable



MWRXCRET

10 m remote extension cable for MW1, MW2



CCAAUX

RCA / 3.5 mm AUX input cable



MWRYCRET

Remote y-cable for MW1, MW2



RCX002

Optional remote control for CMD8, M303



Marine remote control

MW4

Watertight 3-inch colour LCD wired remote control

for CMD8, CMS2, CMS4, CMS5, CMV1, M303



MW2

Watertight remote control

for CMD8, CMS2, CMS4, CMS5, CMV1, M303



MW1

Watertight remote control with LCD

for CMD8, CMS2, CMS4, CMS5, CMV1, M303



MF1

RF wireless remote control

for CMD8, CMS2, CMS4, CMS5, CMV1, M303



BULGARIA
IMPAS 56 Ltd.
67 Cherni Vrah Blvd.
1407 Sofia
Tel.: +(359 2) 862 47 18
Fax: +(359 2) 868 95 70
e-mail: info@impas56.com

CYPRUS
ANGELOS RADIO CO., LTD.
80, Digenis Akritas Avenue,
Nicosia 1061
TEL: + 357 22 765487 / 22 460099
FAX: + 357 22 757664
e-mail: angelosradio@cytanet.com.cy

ESTONIA
R & P GRUPP OÜ
Kadaka tee 1
10621 Tallinn
Tel.: +372 6 50 74 74
Fax: +372 6 50 74 75
e-mail: info@rpgrupp.com

LITHUANIA
ALTAS SECURITY CORP. 
Kalnieciu 104
LT50184 Kaunas
Tel.: +370 69 803 830
Fax: +370 37 797 705
e-mail: clarion@clarion.lt

MACEDONIA
MTDE
Lerinska 55b
Skopje 1000
Tel.: +389 2 2040618
Fax: +389 2 2040618
e-mail: dusica@on.net.mk

MALTA
DOUBLESIN & ZAMMIT LTD. 
53, Nicolo Isouard Street
Sliema, SLM 2084
Tel.: +356 21 331294
Fax: +356 21 319576
e-mail: info@doublesinandzammit.com

Clarion Europe S.A.S.

244 rue du Pré à Varois
54670 Custines
France
Tel.: +33 (0)3 83 49 44 00
Fax: +33 (0)3 83 49 45 99
e-mail : info@clarion.fr



clarion

www.clarion.com

Notes

• "Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance. iPhone, iPod and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc. • Android™ is a trademark of Google Inc. • Manufactured under license from Dolby Laboratories. Dolby, Dolby Audio, Pro Logic, and the double-D symbol are trademarks of Dolby Laboratories. • The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Clarion Co., Ltd. is under license. Other trademarks and trade names are those of their respective owners. • DivX®, DivX Certified® and associated logos are trademarks of DivX, LLC and are used under license. DivX Certified® to play DivX® video, including premium content. Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274 • Smart Access logos and trademarks are the property of Clarion Co., Ltd. • The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. • All other trademarks and commercial names are the property of their respective owners. • microSDHC Logo is a trademark of SD-3C, LLC.

• Specification and design are subject to change without notice. • Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors. • All other trademarks are the property of their respective owners. • All units in this catalog are primarily intended for installation in passenger vehicles. Use in commercial trucks, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended. • It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF / ON, playback will commence from the beginning of the file. • There's no guarantee that all units in this catalog play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R / RW and DVD-R / RW. • Please see the Clarion website for iPod models that can be connected. • Clarion's navigation systems should not be used as a substitute for your own judgement. Any route suggestions made by a Clarion navigation system should never override any local traffic regulations, your own judgement, and/or knowledge of safe driving practices. Disregard route suggestions by the navigation system if such suggestions would: cause you to perform a hazardous or illegal maneuver, place you in a hazardous situation, or route you into an area you consider unsafe. • The advice provided by the navigation system is to be regarded only as a suggestion(s). There may be situations where the navigation system displays the vehicle's location incorrectly, fails to suggest, and/or fails to direct you to your desired destination. In such situations, rely on your own driving judgement, taking into account current driving conditions. • Do not use the navigation system to route you to emergency services. The database does not contain a complete listing of locations of emergency service providers such as police, fire stations, hospitals and clinics. Please use your judgement and your ability to ask for directions in these situations. • Smartphone compatibility may vary by model and operating system. Please check www.clarion.com for details. • In order to avoid a traffic accident or traffic offense, remember that actual road conditions and traffic regulations take precedence over the information contained in the navigation system.

Your Clarion dealer can tell you more.