

Clarion: a global brand that puts your future first

Clarion was founded in 1940, and ever since developing Japan's first car radio in 1951, continues to actively develop new products, based on new technologies. Born in Japan, and widely adopted by automobile manufacturers all over the world, Clarion is an unstoppable source of innovation, inspired by the current and future needs of drivers like you. Clarion specialises in in-vehicle equipment and systems, so our attention is tightly focused on your car and lifestyle. That is why we are able to offer maximum value for your investment. From the latest innovations to the unchanging pursuit of sound excellence, count on Clarion to deliver satisfaction to your drive.

Notes

- Specification and design are subject to change without notice.
- Photos are non-binding. The manufacturer and importer do not take responsibility for any printing errors.
- Dolby, Dolby Surround, Pro Logic and the double-D symbol are trademarks of Dolby Laboratories.
- "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod®, or iPhone®, respectively, and has been certified by the developer to meet Apple performance standards.
- Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards.
- Please note that the use of this accessory with iPod or iPhone may affect wireless performance.
- iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries.
- The trademark and the Bluetooth® logo are owned by Bluetooth® SIG, Inc. and any utilisation of these trademarks by Clarion is carried out under licence.
- DivX®, DivX® Certified, and associated logos are trademarks of Rovi Corporation or its subsidiaries and are used under license.
- DivX Certified® to play DivX® video, including premium content.
- Covered by one or more of the following U.S. patents: 7,295,673; 7,460,668; 7,515,710; 7,519,274
- All units in this catalogue are primarily intended for installation in passenger cars. Use in lorries, tractors, off-road vehicles, construction machinery, boats (except Marine models), and other special-purpose vehicles or on motorcycles is not recommended.

- It may not be possible to resume iPod Video playback. Whenever ACC is turned OFF/ON, playback will commence from the beginning of the file.
- There's no guarantee that all units in this catalogue play CCCD (Copy Control CD), Hybrid SACD (Super Audio CD), CD-R/RW and DVD±R/RW.
- USB digital media streaming models. This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft. Windows Media and the Windows logo are trademarks or registered of Microsoft Corporation in the United States and/or other countries.
- Please see the Clarion website for iPod models that can be connected.
- The driver should be aware and abide by the laws of the country when operating any multimedia/navigational equipment.
- LCD panels use the latest high-tech components and boast an effective pixel rate of 99.99%. However, be aware that 0.01% or less of the pixels may be defective.
- This product is protected by certain intellectual property rights of Microsoft. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft. Windows Media and the Windows logo are trademarks or registered of Microsoft Corporation in the United States and/or other countries.
- The SD logo is a trademark of the SD Card Association.
- WMDRM 10 compatible models: this product is protected by certain intellectual property rights of Microsoft Corporation. Use or distribution of such technology outside of this product is prohibited without a license from Microsoft Corporation.

WARNING: Driver is prohibited by law from viewing a video signal on any in-dash monitor while the vehicle is in motion.

clarion

www.clarion.com

Clarion (Malaysia) Sdn., Bhd.

Phase 1, Free Industrial Zone, 11900 Bayan Lepas, Penang, Malaysia
Office Phone: +60-4-6148-400, Office Fax: +60-4-6438-713

Clarion (H.K.) Industries Co., Ltd.

Unit 712, 7 F, Tower 1, Harbour Centre, 1 Hok
Cheung Street, Hung Hom, Kowloon, Hong Kong
Tel: (852) 2723-2088, Fax: (852) 2723-1991

Clarion Co., Ltd.

7-2 Shintoshin, Chuo-ku, Saitama-shi, Saitama, 330-0081, Japan
Tel: (81)48-601-3700, Fax: (81)48-601-3701

Distributor

clarion



The ultimate solution, engineered for entertainment and satisfaction



iPod® and iPhone® and Parrot Bluetooth® connectivity paves your way

Easy USB connection with your iPod or iPhone makes sure you can drive with the tunes that move you. Built-in Parrot Bluetooth provides hands-free voice communication with wireless connection to a wide variety of mobile phones. With built-in microphone and Phonebook access you can talk and drive with maximum safety, plus Bluetooth audio streaming lets you enjoy music with no cables attached.

DivX Bluetooth Parrot move wireless

Made for iPod iPhone

NX702A

2-DIN DVD multimedia station with 7-inch touch panel control, USB and built-in navigation



Motorised sloping console & disc slot.



Easy-to-use touch screen supports flick operation for intuitive scrolling from menu to menu.



Advanced features like Beat EQ plus and Time Alignment team up to assure high quality sound.

Stylishly sophisticated with high-performance entertainment

NX502A

2-DIN DVD multimedia station with 6.2-inch touch panel control, USB and built-in navigation



iPod and iPhone connectivity, as well as USB and AUX inputs, make it possible to enjoy all the entertainment you enjoy everyday, seamlessly while you drive.



Enjoy sound with incredible presence in your car, thanks to sound technologies like Magna Bass EX, Beat EQ and more.



DivX Bluetooth Parrot move wireless

Made for iPod iPhone

* For audio playback, please use the USB cable provided with your iPod and iPhone.
* For video playback, an optional CCA750 cable is required.
* Please see our website for details of compatible iPod and iPhone models.
* Product is DAB-ready, however DAB functionality may not be available in your area.

Stylishly sophisticated with high-performance entertainment

NX403A

2-DIN DVD multimedia station with 6.2-inch touch panel control, USB and built-in navigation



DivX Bluetooth

Made for iPod iPhone

Intuitive operation and multi connectivity deliver maximum enjoyment from day one

Access a myriad of features via the touch panel graphical interface and scroll through multiple pages with flick operation. Large icons make it easy to access all sources, such as DVD play including DivX discs, a connected iPod or iPhone, or wirelessly linked phone or other device with Bluetooth technology. Count on technical sophistication in a simple to use centre unit.

Visual entertainment is at home in your car

VX402A

2-DIN DVD multimedia station with 6.2-inch touch panel control, USB and built-in Bluetooth



VZ402A

DVD multimedia station with 7-inch touch panel control, USB and built-in Bluetooth



DivX Bluetooth

Parrot move wireless

Made for iPod iPhone

Enjoy home theatre presence in your car



VT1510B
15.6-inch wide screen LCD overhead colour monitor with DVD player



USB and SD/MMC slots support playback of MPEG(1/2/4) and MP3/WMA files.

VT1010B
10.2-inch wide screen LCD overhead colour monitor with DVD player



VMA773
7-inch / 16:9 headrest / stand-alone monitor



Rear vision camera

CC4001U
Rear vision CMOS camera



Accessories

VA700
Video distribution amplifier



WH204 / WH114H
Wireless headphone systems
• WH204: Dual channel IR wireless headphone system
• WH114H: Replacement and/or additional single channel headphone



RCB199
External microphone
• For VX402A/VZ402A/CZ703A
RCB204
External microphone
• For NX702A/NX502A/NX403A

CCA-750
iPod video connecting cable
• For NX702A/NX502A/NX403A/VX402A/VZ402A/CZ703A




CCA-748
iPod video connecting cable
• For CZ302A/CZ202A/CZ202AR/CZ501A/CX501A/CX201A



CCA-755
USB extension cable
• For NX702A/NX502A/NX403A/VX402A/VZ402A/CZ703A/CZ302A/CZ202A/CZ202AR/CZ501A/CX501A/CX201A




RCX007
Infrared remote control
• For NX702A/NX502A






















RCX005
Infrared remote control
• For VX402A/VZ402A/NX403A



RCX001
Infrared remote control
• For CZ703A/CZ302A/CZ202A/CZ202AR/CZ102A/CZ102AR
RCB176-200
Infrared remote control
• For CX501A/CX201A



MULTIMEDIA FEATURES	■ MEDIA									■ CONNECTION										■ NAVIGATION				■ AUDIO				■ GENERAL									
																																					
NX702A	●	●	●	●	●	—	●	●	18 FM, 6 AM	Built-in*1	●	USB (Audio/ Video)*2	●	●*3	●	—	—	●*4	●*5	●*7	—	●	—	●	●	—	●*8	—	●	●	—	—	—	●	●	●	●
NX502A	●	●	●	●	●	—	●	●	18 FM, 6 AM	Built-in*1	●	USB (Audio/ Video)*2	●	●*3	●	—	—	●*4	●*6	●*7	—	●	●	●	—	●	●*8	—	—	●	—	—	—	—	●	●	●
NX403A	●	●	●	—	—	●	●	●	18 FM, 6 AM	Built-in*1	—	USB (Audio/ Video)*2	●	●*3	—	—	●	●*4	●*6	●*7	—	—	●	●	—	●	●*8	—	—	—	●	—	—	—	—	—	●
VX402A	●	●	●	—	●	—	—	●	18 FM, 6 AM	Built-in*1	●	USB (Audio/ Video)*2	●	—	—	●	—	●*4	●*6	—	—	—	—	●	—	—	—	—	●*9	—	—	—	●	—	—	—	●
VZ402A	●	●	●	—	●	—	—	●	18 FM, 6 AM	Built-in*1	●	USB (Audio/ Video)*2	●	—	—	●	—	●*4	●*6	—	—	—	—	●	—	—	—	●*9	—	—	—	●	—	—	—	—	●

MAIN UNITS

Entertainment seamlessly connects to your style of drive



CZ703A

CD/USB/MP3/WMA/Bluetooth receiver
728 variable colour illumination
Time Alignment & crossover



Made for
iPod iPhone

Sound solution for your digital media



CZ302A

CD/USB/MP3/WMA/Bluetooth receiver



Front USB terminal is compatible with iPod and iPhone and USB memory devices. iPod functions can be controlled from CZ302A/CZ202A/CZ501A/CX501A/CX201A.



CZ202A / CZ202AR

CD/USB/MP3/WMA receiver



CZ102A / CZ102AR

CD/MP3/WMA receiver



Made for
iPod iPhone

Musical media meets high impact design



CZ103A

CD/USB/MP3/WMA receiver



The CZ103A supports MP3 and WMA files for extended musical enjoyment, including ID3-TAG display data.

Extreme connectivity for your music files



FZ003A

USB/MP3/WMA receiver



Front USB and AUX terminals for connection to a variety of audio devices and sources. (iPod and iPhone not supported)




Double DIN powerful performance and looks



CX501A

2-DIN Bluetooth CD/USB/MP3/WMA receiver



728 variable-colour illumination and buttons allow cosmetic matching to instrument panel or by personal preference.


























Made for
iPod iPhone



Made for
iPod iPhone

CX201A

2-DIN CD/USB/MP3/WMA receiver

■ MEDIA				■ CONNECTION										■ AUDIO										■ GENERAL									
																																	
●	—	●	18FM, 6AM	Built-in*1	●	USB (Audio/Video)*2	Rear/Front	●*5	—	—	—	●	●	—	●*10	—	●	●	●*12	—	●*14	●	●	—	●	●	●	●					
●	—	●	18FM, 6AM	Built-in*1	●	USB (Audio/Video)*3	Front*4	—	—	●*6	—	●	●	●*9	—	●*11	—	—	●*12	—	●*15	●	—	●	—	●	●	●					
●	—	●	18FM, 6AM	—	—	USB (Audio/Video)*3	Front*4	—	—	—	●*7	●	●	●*9	—	●*11	—	—	—	●*13	●*15	●	—	●	—	—	●	●					
●	—	●	18FM, 6AM	—	—	—	—	—	—	—	●*7	●	●	●*9	—	●*11	—	—	—	●*13	●*15	●	—	●	—	—	—	●	●				
—	—	●	18FM, 12AM	—	—	—	Front*4	—	—	—	●*8	●	—	—	—	—	—	—	—	—	●*17	●	—	●	—	—	—	—					
●	—	●	18FM, 6AM	—	—	—	Front*4	—	—	—	●*8	●	—	—	—	—	—	—	—	—	●*16	●	●	—	—	—	—	●	●				
●	—	●	18FM, 6AM	Built-in*1	—	USB (Audio/Video)*3	Front*4	—	●*5	—	—	●	●	●*9	—	●*11	—	—	●*12	—	●*14	●	●	—	—	●	●	●	●				
—	●	●	18FM, 6AM	—	—	USB (Audio/Video)*3	Front*4	—	—	●*6	—	●	●	●*9	—	●*11	—	—	●*12	—	●*14	●	●	—	—	—	●	—	—				
—	●	●	18FM, 6AM	Built-in*1	—	USB (Audio/Video)*3	Front*4	—	—	●*6	—	●	●	●*9	—	●*11	—	—	●*12	—	●*14	●	●	—	—	—	●	—	—				

*1 Please see our website for details of compatible Bluetooth models *2 Optional USB cable (Video): CCA750: Please see our web site for iPod compatibility
*3 Optional USB cable (Video): CCA748 *4 Front USB with slide cover *5 Front 2-channel + Rear 2-channel + subwoofer 2-channel
*6 Front 2-channel + Rear 2-channel or subwoofer *7 Rear 2-channel or Subwoofer *8 Rear 2-channel

*9 Boost ultra-low frequency *10 5 Band Parametric Equaliser *11 Bass boost, Impact, Excite, Custom *12 Low-Pass / High-Pass Filters
*13 Low-Pass Filter *14 13-seg x 10 2-Line *15 13-seg x 10 Single-Line *16 13-seg x 8 Single-Line *17 13-seg x 5 Single-Line

Harness the power of our expertise

XH Series
CLASS GH/AB



XH5210
340 W 2/1-channel
power amplifier



XH5410
680 W 4/3/2-channel
power amplifier



XH7110
850 W mono class GH
power amplifier

XR Series
CLASS AB



XR2120
570 W mono
power amplifier



XR2420
480 W 4/3/2-channel
power amplifier



XR2220
280 W 2/1-channel
power amplifier

High-performance reproduction of super lows

WQ Series

WQ2510D
1500 W Max. 25 cm (10")
dual 4-ohm voice coil
subwoofer



WQ3010D
1500 W Max. 30 cm (12")
dual 4-ohm voice coil
subwoofer



Amplifiers	Maximum Power Output	4-Ohm	2-Ohm	Type	Number of Channels	Dimensions (W x L x H)
XH7110	850W	450W x 1	850W x 1	Class GH/AB	Mono	407 x 230 x 67 mm
XH5410	680W	90W x 4	160W x 4	Class AB	4/3/2	373 x 230 x 67 mm
XH5210	340W	90W x 2	160W x 2	Class AB	2/1	316 x 230 x 67 mm
XR2120	570W	280W x 1	400W x 1	Class AB	Mono	354 x 216 x 55 mm
XR2420	480W	60W x 4	90W x 4	Class AB	4/3/2	354 x 216 x 55 mm
XR2220	280W	65W x 2	95W x 2	Class AB	2/1	294 x 216 x 55 mm

Subwoofers	Size	Maximum Power Handling	High Strength Stamped Steel	Dual Voice Coil	Dimensions (W x H x D)
WQ3010D	30cm (12")	1500W	●	●	297 x 297 x 156 mm
WQ2510D	25cm (10")	1500W	●	●	248 x 248 x 139 mm

Experience the music, live in the sound

PLATINUM Platinum Series



SRP1322S
300 W Max. 13 cm (5-1/4")
2-way component system



SRP1722S
350 W Max. 16.5 cm (6-1/2")
2-way component system

SRE Series



SRE6952R
600 W Max. 15 cm x 23 cm
(6" x 9") multiaxial 5-way



SRE6932R
400 W Max. 15 cm x 23 cm
(6" x 9") multiaxial 3-way



SRE2032R
400 W Max. 20 cm (8")
multiaxial 3-way



SRE1722R
280 W Max. 16.5 cm (6-1/2")
coaxial 2-way



SRE1732R
300 W Max. 16.5 cm (6-1/2")
multiaxial 3-way



SRE1332R
250 W Max. 13 cm (5-1/4")
multiaxial 3-way



SRE212H
200 W Max. 2.5 cm (1")
balanced-drive tweeter


SRG Series



SRG1622R
250 W Max. 16 cm (6-1/2")
coaxial 2-way



SRG1322R
230 W Max. 13 cm (5-1/4")
coaxial 2-way



SRG1022R
180 W Max. 10 cm (4")
coaxial 2-way



SRG6932R
400 W Max. 15 cm x 23 cm
(6" x 9") multiaxial 3-way

SRP Speakers	Size	Maximum music power	Type
SRP1722S	16.5 cm (6-1/2")	350 W	2-way component system
SRP1322S	13 cm (5-1/4")	300 W	2-way component system

SRG Speakers	Size	Maximum music power	Type
SRG1622R	16 cm (6-1/2")	250 W	Coaxial 2-way
SRG1322R	13 cm (5-1/4")	230 W	Coaxial 2-way
SRG1022R	10 cm (4")	180 W	Coaxial 2-way
SRG6932R	15 cm x 23 cm (6" x 9")	400 W	Multiaxial 3-way

SRE Speakers	Size	Maximum music power	Type
SRE6952R	15 cm x 23 cm (6" x 9")	600 W	Multiaxial 5-way
SRE6932R	15 cm x 23 cm (6" x 9")	400 W	Multiaxial 3-way
SRE2032R	20 cm (8")	400 W	Multiaxial 3-way
SRE1722R	16.5 cm (6-1/2")	280 W	Coaxial 2-way
SRE1732R	16.5 cm (6-1/2")	300 W	Multiaxial 3-way
SRE1332R	13 cm (5-1/4")	250 W	Multiaxial 3-way
SRE212H	2.5 cm (1")	200 W	Balanced-drive tweeter

Hear every nuance, experience every expression, with the sound of a true original.




HX-D2

Hi-Fidelity CD receiver/CeNET control



- Dual 24-bit / 96kHz sampling digital to analogue burr-brown converter and DSP
- Built-in 4-way crossover
- 5-band parametric equaliser
- Digital Time Alignment for each line level output
- 8-channel/4-volt gold plate oxygen-free RCA output
- 0.5dB-step electronic volume adjustment circuit
- Copper plated chassis
- CeNET iPod® interface compatible (EA1251 is required)

Extreme realism with higher sampling rate



Conceptual diagram of frequency/phase characteristics