

TAKE YOUR AUDIO EXPERIENCE TO GREATER DEPTHS WITH CLARION MARINE SYSTEMS

When it comes to superior sound performance and connectivity, Clarion Marine Systems offer an extraordinary audio and infotainment experience. From source units and amplifiers, to speakers and remote controls, Clarion Marine Systems deliver modern, innovative designs and a commitment to quality that ensures you receive best-in-class performance in audio and entertainment enhanced with genuine, marine grade durability and dependability.

Our legendary passion for audio and perfecting the art of entertainment for today's active lifestyle continues to make Clarion an enduring brand that captures the spirit of the open water. We invite you to explore the world of Clarion Marine and discover our expanded line of advanced, rugged, all-weather marine products.





THE ULTIMATE PROOF: CONSUMER SATISFACTION



"Whether sitting up front on your boat or out in the water drinking a cold one, it [MF1] works GREAT & IT FLOATS!!! Love it!"
P.A., TENNESSEE

★★★★ GREAT PRODUCT - VERY PLEASED

"I ordered this Clarion M505 as a replacement for the original Clarion unit that came with my boat back in 2007. It was really easy to install and works awesome! The Bluetooth feature is so simple to use with my iPhone. I would recommend!"

A.L., FLORIDA

★★★★★ SWEET UPGRADE!

"Great upgrade from Clarion XMD2 ... M505 has a great feature set. Love the Bluetooth! The connections for the speakers, power, etc were all the same, no rewire required."

J.M., \$OUTH CAROLINA

★★★★ GREAT SOUND!

"Clarion CMG1622R speakers were installed in the cockpit of a 30' sailboat, replacing older non-Clarion speakers...The sound quality is very good for the price and they appear to be very durable. I would recommend these speakers for marine use."

S.L. MINNESOTA

**** SOLID UNIT

"This GR10BT delivers good sound and good looks. Very solid and well built."

G.E. SOUTH GAROLINA

★★★★★ A GREAT ACCESSORY AND PLUG-AND-PLAY TOO!

"[CCAUSBAV] Plugs directly into the back of the Clarion head unit allowing me to use a USB plug with my laptop for a great chart plotting application on my boat! The installation is neat and everyone believes it was factory installed."

M.C., PENNSYLVANIA

★★★★★ GREAT RANGE IN A SMALL PACKAGE!

"First marine grade amp [XC2410] I've purchased. Huge upgrade with great depth and range on open water. Easy install. Would purchase again."

A.A., WISCONSIN

THE BENCHMARK IN RELIABILITY, DURABILITY, PERFORMANCE, AND CONVENIENCE

★★★★ NICE COMPACT UNIT

"Great little unit [GR10BT] that dropped into my old Clarion hard wire remote hole in console. Works great. Very visible. Not complicated. Very happy and great price. Easy install. Simple operation. Very clean look."

B T FIORIDA

★★★★ ABSOLUTELY THE BOMB

"...This thing [CMD8] is sweet. The bass is unreal. The Sirius and Pandora options are great...It sounds better than the \$2,000 system in my truck..."

F.B., FLORIDA

★★★★ GREAT STEREO!

"Replaced my factory stereo with this [M303] unit, Great sound. Easy install. Even with the old speakers, the sound quality increased immensely ..."

R.A., NORTH CAROLINA

★★★★ EASY HOOK-UP!

"This [MF1] is an excellent product. Easy to plug in. Worked first time with no problems. Easy to use."

A.A., VIRGINIA

★★★★ GREAT REPLACEMENT!

"Used the CMG2512W to replace an older model Clarion subwoofer in a Tiara that's exposed to the elements. Old one lasted 8 years before getting dried out and buzzy, which is respectable to me. This sub was a drop-in replacement. 5 minutes to swap and no more buzz, just pure bass..."

J.O., OHIO

★★★★ PLUG & PLAY

"Awesome Clarion sound! Love that the unit [M505] recognizes my iPhone immediately, the Pandora support and Bluetooth function!"

R.C., GEORGIA





MARINE SOURCE SYSTEMS

Designed & Engineered Specifically with Marine Applications & Performance in Mind



WATER RESISTANT



SALT & SUN DURABILITY



SUPERIOR SOUND



BLUETOOTH STREAMING



CMS4

MARINE "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IP66 Rated 3.5" Optically Bonded Color LCD Commander
- · True 4 Zone Source and Volume Control
- · Bluetooth Music Streaming with aptX
- · iPad/iPod/iPhone/USB Ready (2.1A USB)
- · SiriusXM and Pandora Ready
- · Global AM/FM/Weatherband Tuner
- · 70W x 4 @ 2 Ohm Built-In Amplifier
- · 8-Channel/3.5V RCA Outputs
- · 4 Dedicated Subwoofer Outputs
- · 7-Band Equalizer for Each Zone
- · Camera Input with Audio Support
- · RGB Button and Knob Illumination
- · Wired Marine Remote Ready
- · Chrome and Flat Black Bezels Included
- · OEM Customizable Start-Up Screen



CMS5

MARINE "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IP67 Rated 4.3" Optically Bonded Color LCD Commander
- · Global AM/FM/Weatherband Tuner
- · iPad/iPod/iPhone/USB Ready (2.1A Dual USB)
- · 2 Audio/Video RCA Inputs
- Marine 2-Zone Source/Volume Control
- · 50 Watts X 4 Built-In Amplifier
- · 8-Channel/4V RCA Outputs (2-Ch. Fixed)
- · 5-Band Equalizer
- · Built-In Low-Pass Crossover
- · Dedicated Camera Input
- · Wired Marine Remote Ready



CMS20

MARINE "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IPX6 Rated User Selectable Full Dot Matrix LCD Display
- · Bluetooth Music Streaming with aptX
- · SiriusXM Ready
- · Global AM/FM/Weatherband Tuner
- iPhone/iPod/USB Ready
- · Auxiliary Audio RCA Input
- · 50 Watts X 4 Built-In Amplifier
- 6-Channel/2V RCA Outputs
- · Built-In High & Low-Pass Crossovers
- Chrome and Flat Black Bezels Included
- · Wired Marine Remote Ready



M608

MARINE BLUETOOTH WATERTIGHT 4-ZONE DIGITAL MEDIA RECEIVER

- · IP55 Rated Watertight Front Panel
- · IPX3 Rated Stainless Steel Chassis
- · Bluetooth Music Streaming with aptX
- · iPad/iPhone/iPod/USB Ready (2.1A USB)
- · SiriusXM and Pandora Ready
- · Global AM/FM/Weatherband Tuner
- · 2 RCA Auxiliary Audio Inputs (Rear)
- · Rear 2.1A USB
- · 50 Watts X 4 Built-In Amplifier
- · 8-Channel/4V RCA Outputs
- · Built-In High & Low-Pass Crossovers
- · Chrome and Flat Black Bezels Included
- · Wired Marine Remote Ready



- Meets or Exceeds ASTM B117 (Salt Fog Exposure)
- > Meets or Exceeds ASTM D4329 (UV Exposure)
- > Meets or Exceeds 3.0G of Vibration Resistance
- > Circuit Boards Coated in a Moisture Resistant Polymer
- > Low Power Consumption when Powered Off
- > Works with Pandora*
- > SiriusXM Ready*
- > Bluetooth Music Streaming with aptX*

pandora®

(((SiriusXM)))

Qualcomm[®] aptX[™]





CMD8

MARINE WATERTIGHT CD/USB/MP3/WMA RECEIVER

- · IPX5 Rated Watertight Front Panel
- · Built-In CD Player
- · SiriusXM and Pandora Ready
- · RCA Auxiliary Audio Input (Rear)
- · Rear USB with Water Resistant Cap
- · 45 Watts X 4 Built-In Amplifier
- · 4-Channel/2V RCA Outputs
- · Built-In High & Low-Pass Crossovers
- · Integrated Drip Shield
- · Wired Marine Remote Ready



M508

USB/MP3/WMA RECEIVER WITH BUILT-IN BLUFTOOTH

- · Two Line Positive LCD
- · Bluetooth Music Streaming with aptX
- · SiriusXM and Pandora Ready
- · Global AM/FM/Weatherband Tuner
- Front iPhone/iPod/USB Connection with Cover
- · Front 3.5mm AUX Input with Cover
- · Low-Pass Crossovers
- · Dedicated Fixed 2-Channel Audio Output
- · 6-Channel/4V RCA Outputs
- · 50W X 4 MOSFET Amplifier
- · OEM Steering Wheel Remote Interface Ready
- · Wired Marine Remote Ready



M303

MARINE BLUETOOTH CD/USB/ MP3/WMA RECEIVER

- · Built-in CD Player
- Two Line Positive LCD
- · Built-In Parrot Bluetooth for HFP/A2DP
- · SiriusXM and Pandora Ready
- · Built-In Microphone
- · 2-Channel RCA Auxiliary Audio Input
- · Rear USB with Water Resistant Cap
- · 45 Watts X 4 Built-In Amplifier
- · 4-Channel/2V RCA Outputs
- · Built-In High & Low-Pass Crossovers
- · Wireless Remote Ready with Optional RCX001
- · Wired Marine Remote Ready



M205

USB/MP3/WMA RECEIVER WITH USB & AUX

- · Two Line Positive LCD
- Global AM/FM/Weatherband Tuner
- Front iPhone/iPod/USB Connection with Cover
- · Pandora Ready
- · Front 3.5mm AUX Input with Cover
- · Low-Pass Crossovers
- · 4-Channel/2V RCA Outputs
- · 50W X 4 MOSFET Amplifier
- · OEM Steering Wheel Remote Interface Ready
- · Wireless Remote Controller Optional



GR10BT

MARINE USB/MP3 WMA RECEIVER WITH BUILT-IN BI UFTOOTH

- · IPX5 Rated Water Resistant Front Panel
- · IPX3 Rated 3" Gauge Hole Chassis
- · Bluetooth Music Streaming
- MP3/WMA USB File Playback
- Auxiliary Audio RCA Input
- · Smartphone Charging via USB
- · Global AM/FM/Weatherband Tuner
- · 45W x 4 Built-In Amplifier
- 4-Channel (Front + Rear or Sub)/2V RCA Outputs
- · OEM Customizable Start-up Screen

ட



SPEAKERS & SUBWOOFERS

Marine Quality & Durability with Exceptional Performance



WATER RESISTANT



SALT & SUN DURABILITY



SUPERIOR SOUND



BUILT TO LAST



CM1624TB

6.5 INCH BLACK 2-WAY MARINE TOWER SPEAKERS

- · IP55 Rated
- Built-In RGB LED
 Illumination
- Carbon Fiber Spoke Design
- 360° Chrome Swivel Bar Clamps and Surface Mounts
- 200 Watts Maximum Power Handling
- · 80 Watts RMS
- 1" Aluminum Dome Tweeter

- Supports 1.5", 1.75", 2", 2.5" and 2.75"
 Bar Sizes
- High Impact ASA Enclosure
- Optional All Weather Protective Cover (CM6124TPC - See Accessories Section)
- Optional Black Bar Mount (BKU005 - See Accessories Section)



CM1624TS

6.5 INCH SILVER 2-WAY MARINE TOWER SPEAKERS

- · IP55 Rated
- Built-In RGB LED Illumination
- Carbon Fiber Spoke Design
- 360° Chrome Swivel Bar Clamps and Surface Mounts
- 200 Watts Maximum Power Handling
- · 80 Watts RMS

- · 1" Aluminum Dome Tweeter
- Supports 1.5",
 1.75", 2", 2.5" and
 2.75" Bar Sizes
- High Impact ASA Enclosure
- Optional All Weather Protective Cover (CM6124TPC -See Accessories Section)



CM1623RL

6.5-INCH 2-WAY MARINE SPEAKERS

- · Includes Black and Silver Grilles
- · IP55 Rated
- · Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- · Carbon Fiber Spoke Design
- 200 Watts Maximum Power Handling
- · 80 Watts RMS
- · 1" Aluminum Dome Tweeter
- · High Impact ASA Basket
- Stainless Steel Mounting
 Hardware Included



CM2513WL

10-INCH MARINE SUBWOOFER

- · Includes Black and Silver Grilles
- IP55 Rated
- · Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- · Carbon Fiber Spoke Design
- 800 Watts Maximum Power Handling
- 250 Watts RMS
- · 2 Ohms Dual Voice Coil
- · High Impact ASA Basket
- Stainless Steel Mounting
 Hardware Included



CM3013WL

12-INCH MARINE SUBWOOFER

- · Includes Black and Silver Grilles
- · IP55 Rated
- · Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- · Carbon Fiber Spoke Design
- 1000 Watts Maximum Power Handling
- · 300 Watts RMS
- · 2 Ohms Dual Voice Coil
- · High Impact ASA Basket
- Stainless Steel Mounting Hardware Included



- Water Resistant
- > Mica-Injection Polypropylene Woofer Cone
- > Santoprene Rubber Surrounds
- > Ferric Oxide Magnets
- Die Cast Aluminum (CMQ Series) & High Impact Plastic (CM and CMG Series) Speaker Baskets
- > High Impact ASA or ABS Plastic Grilles

- > Compression Horn Tweeters (CMQ Series)
- > Meets or Exceeds ASTM B117 (Salt Fog Exposure)
- > Meets or Exceeds ASTM D4329 (UV Exposure)
- Rubber Mounting Gaskets and Liquid Drainage System
- > Stainless Steel Mounting Hardware Included



CM7123T

8X12-INCH 2-WAY MARINE TOWER SPEAKER WITH SWIVELING CLAMPS

- 200 Watts Maximum Power Handling
- · 100 Watts RMS
- · Water Resistant
- Unique 8" x 12" Design Allows for Maximum Cone Area and a Lower Profile on the Tower
- Mica-Injection Polypropylene Woofer Cone
- Lightweight Aluminum Swivel with 360° Turning Radius for Ultimate Convenience

- · 1" Aluminum Dome Tweeter
- Stainless Steel Mounting Hardware Included
- Optional All Weather Protective Cover (CM7123TPC - See Accessories Section)
- Optional Surface Mounting Bracket (BKU004 - See Accessories Section)



CM2223R

8.8-INCH MARINE COAXIAL SPEAKER SYSTEM

- · 200 Watts Maximum Power Handling
- · 90 Watts RMS
- · Water Resistant
- · 8.8" Mica-Injection Polypropylene Woofer Cone
- · 1" Aluminum Dome Tweeter
- Ferric Oxide Magnets
- · High Impact Plastic Grille and Basket
- · Magnetic Shielding Integrated Into the Basket
- · Stainless Steel Mounting Hardware Included



CMQ1622RL

6.5-INCH MARINE COAXIAL SPEAKER SYSTEM

- · Built-In Blue LED Illumination
- 200 Watts Maximum Power Handling
- · 60 Watts RMS
- 6.5" Mica-Injection Polypropylene Woofer Cone
- · 1.25" Compression Horn Tweeter
- Stainless Steel Mounting Hardware Included



CMQ2512WL

10-INCH MARINE SUBWOOFER

- · Built-In Blue LED Illumination
- · 600 Watts Maximum Power Handling
- · 180 Watts RMS
- · 4-Ohm Single Voice Coil
- · Corrosion Resistant Nickel Plated
- Sealed, Ported Enclosure, or Infinite Baffle Applications
- Subwoofer Grille Included
- Stainless Steel Mounting Hardware Included

S



MARINE AMPLIFIERS

Powerful, Compact, Efficient



DISCRETE & COMPACT DESIGN



SALT & SUN DURABILITY







CMG1622R

6.5-INCH MARINE COAXIAI SPEAKER SYSTEM

- Power Handling
- 50 Watts RMS
- · 100 Watts Maximum · 6.5" Mica-Injection Polypropylene Woofer Cone
 - · 1.25" PEI Cone Tweeter



CMG1722R

7-INCH MARINE COAXIAI SPEAKER SYSTEM

- 100 Watts Maximum · 7" Mica-Injection Power Handling
- 50 Watts RMS
- Polypropylene Woofer Cone
- · 1.25" PEI Cone Tweeter



CMG2512W

10-INCH MARINE SUBWOOFER

- Power Handling
- · 150 Watts RMS
- · 4-Ohm Single Voice Coil
- · 350 Watts Maximum · Subwoofer Grille Included
 - · Sealed, Ported Enclosure, or Infinite Baffle Applications



XC6420

MARINE 4/3/2 CHANNEL CLASS D AMPLIFIER

- Power Output
- · 125 Watts x 4 Continuous @ 2 Ohms
- · 85 Watts x 4 Continuous @ 4 Ohms
- · Conformally Coated PC Board
- · Stainless Hardware
- · MOSFET Power Supply
- · Electronic High and Low-Pass Crossovers
- · Variable Bass Boost (35-250Hz)

- · 600 Watts of Maximum · Auto Sense Remote Turn-On via Speaker Level Input
 - Soft Turn-On and Turn-Off Circuitry
 - · Ground Loop Isolation Circuit
 - · Corrosion Resistant ABYC Compliant Connectors (RCA, Power and Speaker Connections)
 - · Dimensions: 8.74"(W) x 2.19"(L) x 6.88"(H)



XC6620

MARINE 6/5/4/3 CHANNEL CLASS D AMPLIFIER

- · 1000 Watts of Maximum · Variable Bass Boost Power Output
- @ 2 Ohms
- · 250 Watts x 3 Continuous @ 4 Ohms Bridged
- · 85 Watts x 6 Continuous @ 4 Ohms
- · Conformally Coated PC Board
- Stainless Hardware
- · MOSFET Power Supply
- · Electronic High and Low-Pass Crossovers

- (35-250Hz)
- · 125 Watts x 6 Continuous · Auto Sense Remote Turn-On via Speaker Level Input
 - · Soft Turn-On and Turn-Off Circuitry
 - · Ground Loop Isolation Circuit
 - · Corrosion Resistant ABYC Compliant Connectors (RCA, Power and Speaker Connections)
 - Dimensions: 11.38"(W) x 2.19"(L) x 6.88"(H)



 α

ш

ᇤ

PL

Σ



- > Class D Power Supply and Output Stages
- > MOSFET Power Supply
- > Amplifier Power Standard CEA-2006 Compliant
- Circuit Boards Coated in a Moisture Resistant Polymer
- > Pulse Width Modulation Regulated Power Supply
- > Meets or Exceeds ASTM B117 (Salt Fog Exposure)
- Meets or Exceeds ASTM D4329 (UV Exposure)

Using MOSFET power devices, the Class D amplifier circuitry is able to deliver incredible performance in compact dimensions. In a digital amplifier, a Pulse-Width Modulator (PWM) expresses a low-frequency audio signal as a wide pulse, and a high-frequency audio signal as a narrow pulse. This then undergoes digital-to-analog conversion for output. High power conversion efficiency means less power wasted and less heat generated, therefore an absence of bulky heat sinks.



XC2510

COMPACT MARINE 5-CHANNEL AMPLIFIER

- 700 Watts of Maximum Power Output
- 75 Watts X 4 + 300 Watts X 1
 © 2 Ohms
- 50 Watts X 4 + 200 watts X 1
 @ 4 Ohms
- · 150 Watts X 2 @ 4 Ohms Bridged
- 15-30kHz Frequency Response (Ch. 1-4) 15-250Hz (Ch. 5)
- 15-250Hz Variable 12dB/ Oct High-Pass Crossover (Ch. 1-4)
- 35-250Hz Variable 12dB/ Oct Low-Pass Crossover (Ch. 5)

- 0-12dB Bass Boost @ 50Hz (Ch. 5)
- · ≥ 70dB SN Ratio
- Independent Variable Gain Control
- · 6-Channel RCA Input
- · 4-Channel High Level Input
- · Pigtail Connections
- · Double Layer PCB
- Dimensions: 11.02"(W) x 4.33"(L) x 1.54"(H)



XC2410

COMPACT MARINE 4-CHANNEL AMPLIFIER

- 400 Watts of Maximum Power Output
- · 75 Watts X 4 @ 2 Ohms
- · 50 Watts X 4 @ 4 Ohms
- 150 Watts X 2 @ 4 Ohms Bridged
- Compact Class D Design 4-Channel Amplifier
- · 15-30kHz Frequency Response
- 15-250Hz Variable 12dB/Oct High-Pass Crossover
- · ≥ 70dB SN Ratio

- Independent Variable Gain Control (Per Pair)
- · 4-Channel RCA Input
- · 4-Channel High Level Input
- Pigtail Connections
- · Double Layer PCB
- Dimensions:
 7.17"(W) × 3.23"(L) × 1.54"(H)



XC2110

COMPACT MARINE MONO AMPLIFIER

- · 400 Watts of Maximum Power Output
- · 300 Watts X 1 @ 2 Ohms
- · 200 Watts X 1 @ 4 Ohms
- Compact Class D Design Mono Amplifier
- 15-250Hz Frequency Response
- 35-250Hz Variable 12dB/Oct Low-Pass Crossover
- · 0-12dB Bass Boost @ 50Hz
- · ≥ 70dB SN Ratio
- · Variable Gain Control
- · 2-Channel RCA Input

- · 2-Channel High Level Input
- · Pigtail Connections
- Double Layer PCB
- Dimensions: 7.85"(W) x 3.23"(L) x 1.54"(H)

Exclusively Designed to Enhance Your Experience with Clarion Marine Systems

MF2

MARINE WI-FI APP REMOTE

- · Up to 100' Range
- · Smartphone and Tablet Interfaces Supported. Download App from Apple iTunes or Google Play
- Backward Compatible with 2009 & Newer Source Units





MW4 MARINE WIRED REMOTE

- · 2.8" Optically Bonded Color LCD Display
- · IP67 Water Resistant Rating
- · White LED Button
- Illumination · Surface Mount
- · Backward Compatible with 2009 & Newer Source Units



MW1/MW3 MARINE WIRED REMOTE

- · 2-Line Positive LCD Display
- · IPX5 Water Resistant Rating
- · White LED Button Illumination
- · HumiSeal Coated PCB
- · Flush Mount, 3" Hole Cut Out (not applicable to MW3)
- · Backward Compatible with 2009 & Newer Source Units



MF1 WATERPROOF RF FLOATING REMOTE

· IP67 Water Resistant Rating

- · Up to 100' Range, No Line of Sight Required
- · Secure Clip for Docking
- · Internal Sealed Replaceable Battery



CCAUSBAV

FLUSH MOUNT FEMALE 3.5MM TO MALE RCA A/V & USB EXTENSION CABLE

- · 3' UV Coated Cable and Integrated Cover
- · Requires 1" Cut-Out



MWRXCRET

MARINE WIRED REMOTE **FXTENSION**

S

 $\overline{\alpha}$

0

S

S

ш

C

C

4

ш

Z

4

- · 25' Extension Cable
- · Backward Compatible with 2009 & Newer Source Units



MWRYCRET

MARINE WIRED REMOTE "Y" CABLE

- · 1-Male to 2-Female
- · Backward Compatible with 2009 & Newer Source Units

CM1624TPC

PROTECTIVE NEOPRENE COVERS FOR CM6124TS OR CM1624TB

· Provides Outstanding Protection for the CM1624TS or CM1624TB **Tower Speakers** When Not In Use

CM7123TPC

PROTECTIVE NEOPRENE **COVERS FOR CM7123T**

· Provides Outstanding Protection for the CM7123T Tower Speakers When Not In Use

MW6

NMFA 2000 REMOTE ADAPTER

- · Control a Clarion Source Unit via a MFD (Multi-Function Display) Device on a NMEA 2000 Network
- · Control Functions Such as Source Switching, Volume Control, Play/Pause, Next/Previous Track, etc.
- · Two Way Communication Displays Artist/Album/Track Info. Current Radio Frequency, etc.

BKU004

SURFACE MOUNTING BRACKET FOR THE CM7123T TOWER SPEAKER

BLACK BAR MOUNT FOR

CM1624TB MARINE

· Lightweight Aluminum Die-Cast Construction

BKU003

AND CMS2 COMMANDER

· Secure Mounting Bracket

FLUSH MOUNT KIT FOR CMS1

- · Meets or Exceeds ASTM UV and Salt Fog Exposure





· Meets or Exceeds ASTM UV and Salt Fog Exposure

BKU006 BKU005 NEW

- TOWER SPEAKER · Secure Mounting Bracket · Lightweight Aluminum
- · Supports 1.5", 1.75", 2", 2.5" and 2.75" bar sizes

Die-Cast Construction

*Features and functionality vary by Clarion source unit. Please visit our website for details regarding Clarion source unit and 3rd party MFD compatibility.





CC520 CMOS VISION ASSIST CAMERA

- IP67 Water Ingress Protection
- .25" Color CMOS Sensor Technology
- High Visibility Day and Night
- Low Light Sensitivity:
 0.5 lux
- 126 Degree Horizontal Viewing Angle
- 100 Degree Vertical Viewing Angle
- · ASTM D4329 (UV) Certified
- · Auto Gain Control (AGC)
- · Auto White Balance
- Mirror / True Image Selectable
- Active Pixels: 322,752 (656 horizontal × 492 vertical)
- Tilt Adjustable Mounting Bracket Included Compact Connector
- 23-feet (7m) RCA and Power Connections
- Dimensions (inches): 29/32 (H) × 29/32 (W) × 7/8 (D)



CC720

WATERPROOF MARINE AV CAMERA WITH BUILT-IN MIC

- IP67 Water Ingress Protection
- .25" Color CMOS S ensor Technology
- · High Visibility Day and Night
- · Low Light Sensitivity: 0.1 lux
- · Audio Input (Microphone)
- 160 Degree Horizontal Viewing Angle
- 120 Degree Vertical Viewing Angle
- Hydrophobic Coated Lens Repels Water to Improve Visibility
- · ASTM D4329 (UV) Certified
- · Auto Gain Control (AGC)
- · Auto White Balance
- Mirror / True Image Selectable
- Active Pixels: 348,160 (680 horizontal × 512 vertical)
- Tilt Adjustable Mounting Bracket Included Compact Connector
- 23-feet (7m) RCA and Power Connections
- Dimensions (inches): 29/32 (H) × 29/32 (W) × 7/8 (D)



FROM FISHING TO WATER SPORTS, PONTOONS TO CRUISERS, CLARION HAS THE RIGHT GEAR FOR BOAT OWNERS AND BUILDERS WHO WANT LONG-LASTING AUDIO EQUIPMENT THAT DELIVERS CUTTING-EDGE FEATURES AND PEERLESS SOUND QUALITY.

Learn more about Clarion's marine products at clarionmarinesystems.com.

Most models marked with NEW will be available in Q1, 2018 while some are already available. Please check with your Clarion sales representative for details..



CLARION CORPORATION OF AMERICA

6200 Gateway Drive Cypress, CA 90630, U.S.A.

800-GO-CLARION (462-5274)



