

2018 PRODUCT PORTFOLIO



clarion®

**PREMIUM
POWERSPORTS**
AUDIO PRODUCTS
& ACCESSORIES





EXTREME TERRAIN. EXTREME PERFORMANCE.

Clarion's award-winning audio and entertainment systems are recognized by the automotive and marine industries for their superior audio performance, reliability and benchmark durability.

Clarion's rugged powersports systems and accessories take our commitment to quality, durability and performance to the next level and deliver a complete product line ideal for any vehicle-born application dealing with extreme environments and relentless duress.

Clarion powersports products endure a battery of character defining tests that makes them ideal for extreme conditions. By replicating prolonged UV and humidity exposure, simulating jaw-shattering vibration, and rigorously testing for thermal shock to imitate quick changes in temperature, Clarion ensures that its powersports product line lives up to the expectations of the market and the enthusiasts who know how to push the limits!

We invite you to explore our expanded line of advanced, rugged, all-weather powersports products today.

clarion®

POWERSPORTS SOURCE UNITS

DESIGNED & ENGINEERED SPECIFICALLY WITH POWERSPORTS PERFORMANCE & DURABILITY IN MIND



**WATER
RESISTANT**



**SALT & SUN
DURABILITY**



**SUPERIOR
SOUND**



**BLUETOOTH
STREAMING**



CMS4

POWERSPORTS "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IP66 Rated 3.5" Optically Bonded Color LCD Commander
- True 4 Zone Source and Volume Control
- Bluetooth Music Streaming with aptX
- iPad/iPod/iPhone/USB Ready (2.1A USB)
- SiriusXM and Pandora Ready
- Global AM/FM/Weatherband Tuner
- 70W x 4 @ 2 Ohm Built-In Amplifier
- 8-Channel/3.5V RCA Outputs
- 4 Dedicated Subwoofer Outputs
- 7-Band Equalizer for Each Zone
- Camera Input with Audio Support
- RGB Button and Knob Illumination
- Wired Remote Ready
- Chrome and Flat Black Bezels Included
- OEM Customizable Start-Up Screen



CMS5

POWERSPORTS "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IP67 Rated 4.3" Optically Bonded Color LCD Commander
- Global AM/FM/Weatherband Tuner
- iPad/iPod/iPhone/USB Ready (2.1A Dual USB)
- 2 Audio/Video RCA Inputs
- POWERSPORTS 2-Zone Source/Volume Control
- 50 Watts X 4 Built-In Amplifier
- 8-Channel/4V RCA Outputs (2-Ch. Fixed)
- 5-Band Equalizer
- Built-In Low-Pass Crossover
- Dedicated Camera Input
- Wired Remote Ready



NEW

CMS20

POWERSPORTS "BLACK BOX" DIGITAL MEDIA RECEIVER WITH WATERTIGHT COMMANDER

- IPX6 Rated User Selectable Full Dot Matrix LCD Display
- Bluetooth Music Streaming with aptX
- SiriusXM Ready
- Global AM/FM/Weatherband Tuner
- iPhone/iPod/USB Ready
- Auxiliary Audio RCA Input
- 50 Watts X 4 Built-In Amplifier
- 6-Channel/2V RCA Outputs
- Built-In High & Low-Pass Crossovers
- Chrome and Flat Black Bezels Included
- Wired Remote Ready



NEW

M608

POWERSPORTS BLUETOOTH WATERTIGHT 4-ZONE DIGITAL MEDIA RECEIVER

- IP55 Rated Watertight Front Panel
- IPX3 Rated Stainless Steel Chassis
- Bluetooth Music Streaming with aptX
- iPad/iPhone/iPod/USB Ready (2.1A USB)
- SiriusXM and Pandora Ready
- Global AM/FM/Weatherband Tuner
- 2 RCA Auxiliary Audio Inputs (Rear)
- Rear 2.1A USB
- 50 Watts X 4 Built-In Amplifier
- 8-Channel/4V RCA Outputs
- Built-In High & Low-Pass Crossovers
- Chrome and Flat Black Bezels Included
- Wired Remote Ready



- MEETS OR EXCEEDS 3.0G OF VIBRATION RESISTANCE
- MEETS OR EXCEEDS ASTM D4329 (UV EXPOSURE)
- MEETS OR EXCEEDS ASTM B117 (SALT FOG EXPOSURE)
- CIRCUIT BOARDS COATED IN A MOISTURE RESISTANT POLYMER

- LOW POWER CONSUMPTION WHEN POWERED OFF
- WORKS WITH PANDORA*
- SIRIUSXM READY*
- BLUETOOTH AUDIO STREAMING WITH APTX*



CML8

POWERSPORTS WATERTIGHT CD/USB/MP3/WMA RECEIVER

- IPX5 Rated Watertight Front Panel
- Built-In CD Player
- SiriusXM and Pandora Ready
- RCA Auxiliary Audio Input (Rear)
- Rear USB with Water Resistant Cap
- 45 Watts X 4 Built-In Amplifier
- 4-Channel/2V RCA Outputs
- Built-In High & Low-Pass Crossovers
- Integrated Drip Shield
- Wired Remote Ready



M508

USB/MP3/WMA RECEIVER WITH BUILT-IN BLUETOOTH

- Two Line Positive LCD
- Bluetooth Music Streaming with aptX
- SiriusXM and Pandora Ready
- Global AM/FM/Weatherband Tuner
- Front iPhone/iPod/USB Connection with Cover
- Front 3.5mm AUX Input with Cover
- Low-Pass Crossovers
- Dedicated Fixed 2-Channel Audio Output
- 6-Channel/4V RCA Outputs
- 50W X 4 MOSFET Amplifier
- OEM Steering Wheel Remote Interface Ready
- Wired Remote Ready



M303

POWERSPORTS BLUETOOTH CD/USB/MP3/WMA RECEIVER

- Built-in CD Player
- Two Line Positive LCD
- Built-In Parrot Bluetooth for HFP/A2DP
- SiriusXM and Pandora Ready
- Built-In Microphone
- 2-Channel RCA Auxiliary Audio Input
- Rear USB with Water Resistant Cap
- 45 Watts X 4 Built-In Amplifier
- 4-Channel/2V RCA Outputs
- Built-In High & Low-Pass Crossovers
- Wireless Remote Ready with Optional RCX001
- Wired Remote Ready



M205

USB/MP3/WMA RECEIVER WITH USB & AUX

- Two Line Positive LCD
- Global AM/FM/Weatherband Tuner
- Front iPhone/iPod/USB Connection with Cover
- Pandora Ready
- Front 3.5mm AUX Input with Cover
- Low-Pass Crossovers
- 4-Channel/2V RCA Outputs
- 50W X 4 MOSFET Amplifier
- OEM Steering Wheel Remote Interface Ready
- Wireless Remote Controller Optional



CR10BT

POWERSPORTS USB/MP3 WMA RECEIVER WITH BUILT-IN BLUETOOTH

- IPX5 Rated Water Resistant Front Panel
- IPX3 Rated 3" Gauge Hole Chassis
- Bluetooth Music Streaming
- MP3/WMA USB File Playback
- Auxiliary Audio RCA Input
- Smartphone Charging via USB
- Global AM/FM/Weatherband Tuner
- 45W x 4 Built-In Amplifier
- 4-Channel (Front + Rear or Sub)/2V RCA Outputs
- OEM Customizable Start-up Screen

SPEAKERS & SUBWOOFERS

POWERSPORTS QUALITY & DURABILITY WITH EXCEPTIONAL PERFORMANCE



**WATER
RESISTANT**



**SALT & SUN
DURABILITY**



**SUPERIOR
SOUND**



**BUILT TO
LAST**



NEW

CM1624TB

**6.5-INCH BLACK 2-WAY POWERSPORTS
TOWER SPEAKERS**

- IP55 Rated
- Built-In RGB LED Illumination
- Carbon Fiber Spoke Design
- 360° Gloss Black Swivel Bar Clamps and Surface Mounts
- 200 Watts Maximum Power Handling
- 80 Watts RMS
- 1" PEI Dome Tweeter
- Supports 1.5", 1.75", 2", 2.5" and 2.75" Bar Sizes
- High Impact ASA Plastic Enclosure
- Optional All Weather Protective Cover (CM1624TPC - See Accessories Section)




NEW

CM1624TS

**6.5-INCH SILVER 2-WAY POWERSPORTS
TOWER SPEAKERS**

- IP55 Rated
- Built-In RGB LED Illumination
- Carbon Fiber Spoke Design
- 360° Chrome Swivel Bar Clamps and Surface Mounts
- 200 Watts Maximum Power Handling
- 80 Watts RMS
- 1" PEI Dome Tweeter
- Supports 1.5", 1.75", 2", 2.5" and 2.75" Bar Sizes
- High Impact ASA Plastic Enclosure
- Optional All Weather Protective Cover (CM1624TPC - See Accessories Section)



NEW

CM1623RL

**6.5-INCH 2-WAY
POWERSPORTS SPEAKERS**

- Includes Black and Silver Grilles
- IP55 Rated
- Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- Carbon Fiber Spoke Design
- 200 Watts Maximum Power Handling
- 80 Watts RMS
- 1" PEI Dome Tweeter
- High Impact ASA Plastic Basket
- Stainless Steel Mounting Hardware Included



NEW

CM2513WL

**10-INCH POWERSPORTS
SUBWOOFER**

- Includes Black and Silver Grilles
- IP55 Rated
- Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- Carbon Fiber Spoke Design
- 800 Watts Maximum Power Handling
- 250 Watts RMS
- 2 Ohms Dual Voice Coil
- High Impact ASA Plastic Basket
- Stainless Steel Mounting Hardware Included



NEW

CM3013WL

**12-INCH POWERSPORTS
SUBWOOFER**

- Includes Black and Silver Grilles
- IP55 Rated
- Built-In RGB LED Illumination
- Waterproof Connectors for Speaker & LED Illumination
- Carbon Fiber Spoke Design
- 1000 Watts Maximum Power Handling
- 300 Watts RMS
- 2 Ohms Dual Voice Coil
- High Impact ASA Plastic Basket
- Stainless Steel Mounting Hardware Included



- WATER RESISTANT
- IMPP (NEW CM-SERIES) OR MICA INJECTED POLYPROPYLENE WOOFER CONE
- SANTOPRENE RUBBER SURROUNDS
- FERRIC OXIDE MAGNETS
- DIE CAST ALUMINUM (CMQ SERIES) & HIGH IMPACT ASA PLASTIC (CMG SERIES) SPEAKER BASKETS
- HIGH IMPACT ASA PLASTIC GRILLS

- BUILT-IN LED LIGHTING¹
- COMPRESSION HORN TWEETERS (CMQ SERIES)
- MEETS OR EXCEEDS ASTM D4329 (UV EXPOSURE)
- MEETS OR EXCEEDS ASTM B117 (SALT FOG EXPOSURE)
- RUBBER MOUNTING GASKETS AND LIQUID DRAINAGE SYSTEM
- STAINLESS STEEL MOUNTING HARDWARE INCLUDED



CM7123T

8X12-INCH 2-WAY POWERSPORTS TOWER SPEAKER WITH SWIVELING CLAMPS

- 200 Watts Maximum Power Handling
- 100 Watts RMS
- Water Resistant
- Unique 8" x 12" Design Allows for Maximum Cone Area and a Lower Profile on the Tower
- Mica-Injection Polypropylene Woofer Cone
- Lightweight Aluminum Swivel with 360° Turning Radius for Ultimate Convenience
- 1" Aluminum Dome Tweeter
- Stainless Steel Mounting Hardware Included
- Optional All Weather Protective Cover (CM7123TPC - See Accessories Section)
- Optional Surface Mounting Bracket (BKU004 - See Accessories Section)



CM2223R

8.8-INCH POWERSPORTS COAXIAL SPEAKER SYSTEM

- 200 Watts Maximum Power Handling
- 90 Watts RMS
- Water Resistant
- 8.8" Mica-Injection Polypropylene Woofer Cone
- 1" Aluminum Dome Tweeter
- Ferric Oxide Magnets
- High Impact Plastic Grille and Basket
- Magnetic Shielding Integrated Into the Basket
- Stainless Steel Mounting Hardware Included



CMQ1622RL

6.5-INCH POWERSPORTS COAXIAL SPEAKER SYSTEM

- Built-In Blue LED Illumination
- 200 Watts Maximum Power Handling
- 60 Watts RMS
- 6.5" Mica-Injection Polypropylene Woofer Cone
- 1.25" Compression Horn Tweeter
- Stainless Steel Mounting Hardware Included



CMQ2512WL

10-INCH POWERSPORTS SUBWOOFER

- Built-In Blue LED Illumination
- 600 Watts Maximum Power Handling
- 180 Watts RMS
- 4-Ohm Single Voice Coil
- Corrosion Resistant Nickel Plated
- Sealed, Ported Enclosure, or Infinite Baffle Applications
- Subwoofer Grille Included
- Stainless Steel Mounting Hardware Included



POWERSPORTS AMPLIFIERS

POWERFUL, COMPACT, EFFICIENT



DISCRETE &
COMPACT DESIGN



SALT & SUN
DURABILITY



SUPERIOR
SOUND



BUILT TO
LAST

CMG1622R

6.5-INCH POWERSPORTS COAXIAL SPEAKER SYSTEM

- 100 Watts Maximum Power Handling
- 50 Watts RMS
- 6.5" Mica-Injection Polypropylene Woofer Cone
- 1" Aluminum Dome Tweeter



CMG1722R

7-INCH POWERSPORTS COAXIAL SPEAKER SYSTEM

- 100 Watts Maximum Power Handling
- 50 Watts RMS
- 7" Mica-Injection Polypropylene Woofer Cone
- 1" Aluminum Dome Tweeter



CMG2512W

10-INCH POWERSPORTS SUBWOOFER

- 350 Watts Maximum Power Handling
- 150 Watts RMS
- 4-Ohm Single Voice Coil
- Subwoofer Grille Included
- Sealed, Ported Enclosure, or Infinite Baffle Applications



XC SERIES AMPLIFIERS



NEW

XC6420

POWERSPORTS 4/3/2 CHANNEL CLASS D AMPLIFIER

- 600 Watts of Maximum Power Output
- 125 Watts x 4 Continuous @ 2 Ohms
- 85 Watts x 4 Continuous @ 4 Ohms
- Conformally Coated PC Board
- Stainless Hardware
- MOSFET Power Supply
- Electronic High and Low-Pass Crossovers
- Variable Bass Boost (35-250Hz)
- Auto Sense Remote Turn-On via Speaker Level Input
- Soft Turn-On and Turn-Off Circuitry
- Ground Loop Isolation Circuit
- Corrosion Resistant ABYC Compliant Connectors (RCA, Power and Speaker Connections)
- Dimensions: 8.74"(W) x 2.19"(L) x 6.88"(H)



NEW

XC6620

POWERSPORTS 6/5/4/3 CHANNEL CLASS D AMPLIFIER

- 1000 Watts of Maximum Power Output
- 125 Watts x 6 Continuous @ 2 Ohms
- 250 Watts x 3 Continuous @ 4 Ohms Bridged
- 85 Watts x 6 Continuous @ 4 Ohms
- Conformally Coated PC Board
- Stainless Hardware
- MOSFET Power Supply
- Electronic High and Low-Pass Crossovers
- Variable Bass Boost (35-250Hz)
- Auto Sense Remote Turn-On via Speaker Level Input
- Soft Turn-On and Turn-Off Circuitry
- Ground Loop Isolation Circuit
- Corrosion Resistant ABYC Compliant Connectors (RCA, Power and Speaker Connections)
- Dimensions: 11.38"(W) x 2.19"(L) x 6.88"(H)

CMG SERIES SPEAKERS



- CLASS D POWER SUPPLY AND OUTPUT STAGES
- POWER MOSFET SWITCHING TRANSISTORS
- AMPLIFIER POWER STANDARD CTA-2006 COMPLIANT
- CIRCUIT BOARDS COATED IN A MOISTURE RESISTANT POLYMER
- HARD ANODIZED ALUMINUM HEATSINK
- PULSE WIDTH MODULATION REGULATED POWER SUPPLY

Using MOSFET power devices, the Class D amplifier circuitry is able to deliver incredible performance in compact dimensions. In a digital amplifier, a Pulse-Width Modulator (PWM) expresses a low-frequency audio signal as a wide pulse, and a high-frequency audio signal as a narrow pulse. This then undergoes digital-to-analog conversion for output. High power conversion efficiency means less power wasted and less heat generated, therefore an absence of bulky heat sinks.



XC2510

COMPACT POWERSPORTS 5-CHANNEL AMPLIFIER

- 700 Watts of Maximum Power Output
- 75 Watts X 4 + 300 Watts X 1 @ 2 Ohms
- 50 Watts X 4 + 200 watts X 1 @ 4 Ohms
- 150 Watts X 2 @ 4 Ohms Bridged
- 15-30kHz Frequency Response (Ch. 1-4) 15-250Hz (Ch. 5)
- 15-250Hz Variable 12dB/ Oct High-Pass Crossover (Ch. 1-4)
- 35-250Hz Variable 12dB/ Oct Low-Pass Crossover (Ch. 5)
- 0-12dB Bass Boost @ 50Hz (Ch. 5)
- ≥ 70 dB SN Ratio
- Independent Variable Gain Control
- 6-Channel RCA Input
- 4-Channel High Level Input
- Pigtail Connections
- Double Layer PCB
- Dimensions: 11.02"(W) x 4.33"(L) x 1.54"(H)



XC2410

COMPACT POWERSPORTS 4-CHANNEL AMPLIFIER

- 400 Watts of Maximum Power Output
- 75 Watts X 4 @ 2 Ohms
- 50 Watts X 4 @ 4 Ohms
- 150 Watts X 2 @ 4 Ohms Bridged
- Compact Class D Design 4-Channel Amplifier
- 15-30kHz Frequency Response
- 15-250Hz Variable 12dB/Oct High-Pass Crossover
- ≥ 70 dB SN Ratio
- Independent Variable Gain Control (Per Pair)
- 4-Channel RCA Input
- 4-Channel High Level Input
- Pigtail Connections
- Double Layer PCB
- Dimensions: 7.17"(W) x 3.23"(L) x 1.54"(H)



XC2110

COMPACT POWERSPORTS MONO AMPLIFIER

- 400 Watts of Maximum Power Output
- 300 Watts X 1 @ 2 Ohms
- 200 Watts X 1 @ 4 Ohms
- Compact Class D Design Mono Amplifier
- 15-250Hz Frequency Response
- 35-250Hz Variable 12dB/Oct Low-Pass Crossover
- 0-12dB Bass Boost @ 50Hz
- ≥ 70 dB SN Ratio
- Variable Gain Control
- 2-Channel RCA Input
- 2-Channel High Level Input
- Pigtail Connections
- Double Layer PCB
- Dimensions: 7.85"(W) x 3.23"(L) x 1.54"(H)

POWERSPORTS REMOTES & ACCESSORIES

EXCLUSIVELY DESIGNED TO ENHANCE YOUR EXPERIENCE WITH CLARION POWERSPORTS SYSTEMS

MF2

POWERSPORTS WI-FI APP REMOTE

- Up to 100' Range
- Smartphone and Tablet Interfaces Supported. Download App from Apple iTunes or Google Play
- Backward Compatible with 2009 & Newer Source Units



FREE APP
DOWNLOAD!



WORKS
WITH WI-FI



MW4

POWERSPORTS WIRED REMOTE

- 2.8" Optically Bonded Color LCD Display
- IP67 Water Resistant Rating
- White LED Button Illumination
- Surface Mount
- Backward Compatible with 2009 & Newer Source Units



MW1/MW3

POWERSPORTS WIRED REMOTE

- 2-Line Positive LCD Display
- IPX5 Water Resistant Rating
- White LED Button Illumination
- HumiSeal Coated PCB
- Flush Mount, 3" Hole Cut Out (not applicable to MW3)
- Backward Compatible with 2009 & Newer Source Units



MF1

WATERPROOF RF FLOATING REMOTE

- IP67 Water Resistant Rating
- Up to 100' Range, No Line of Sight Required
- Secure Clip for Docking
- Internal Sealed Replaceable Battery

POWERSPORTS ACCESSORIES



CCAUSBAV

FLUSH MOUNT FEMALE 3.5MM TO MALE RCA A/V & USB EXTENSION CABLE

- 3' UV Coated Cable and Integrated Cover
- Requires 1" Cut-Out



MWRXCRET

POWERSPORTS WIRED REMOTE EXTENSION

- 25' Extension Cable
- Backward Compatible with 2009 & Newer Source Units



MWRYCRET

POWERSPORTS WIRED REMOTE "Y" CABLE

- 1-Male to 2-Female
- Backward Compatible with 2009 & Newer Source Units



CM1624TPC

PROTECTIVE NEOPRENE COVERS FOR CM1624TS OR CM1624TB

- Provides Outstanding Protection for the Tower Speakers When Not In Use



CM7123TPC

PROTECTIVE NEOPRENE COVERS FOR CM7123

- Provides Outstanding Protection for the Tower Speakers When Not In Use

MW6*

NMEA 2000 REMOTE ADAPTER

- Control a Clarion Source Unit via a MFD (Multi-Function Display) Device on a NMEA 2000 Network
- Control Functions Such as Source Switching, Volume Control, Play/Pause, Next/Previous Track, etc.
- Two Way Communication Displays Artist/Album/Track Info, Current Radio Frequency, etc.



BKU004

SURFACE MOUNTING BRACKET FOR THE CM7123T TOWER SPEAKER

- Lightweight Aluminum Die-Cast Construction

BKU003

FLUSH MOUNT KIT FOR CMS1 AND CMS2 COMMANDER

- Secure Mounting Bracket
- Meets or Exceeds ASTM UV and Salt Fog Exposure

BKU006

FLUSH MOUNT KIT FOR CMS20 COMMANDER

- Secure Mounting Bracket
- Meets or Exceeds ASTM UV and Salt Fog Exposure

*Features and functionality vary by Clarion source unit. Please visit our website for details regarding Clarion source unit and 3rd party MFD compatibility.



PRODUCT REVIEWS

THE ULTIMATE PROOF: CONSUMER SATISFACTION



CC520

WATERPROOF POWERSPORTS CAMERA

- IP67 Water Ingress Protection
- .25" Color CMOS Sensor Technology
- High Visibility Day and Night
- Low Light Sensitivity: 0.5 lux
- 126 Degree Horizontal Viewing Angle
- 100 Degree Vertical Viewing Angle
- ASTM D4329 (UV) Certified
- Auto Gain Control (AGC)
- Auto White Balance
- Mirror / True Image Selectable
- Active Pixels: 322,752 (656 horizontal × 492 vertical)
- Tilt Adjustable Mounting Bracket Included Compact Connector
- 23-feet (7m) RCA and Power Connections
- Dimensions (inches): 29/32" (H) × 29/32" (W) × 7/8" (D)



CC720

WATERPROOF POWERSPORTS AV CAMERA WITH BUILT-IN MIC

- IP67 Water Ingress Protection
- .25" Color CMOS Sensor Technology
- High Visibility Day and Night
- Low Light Sensitivity: 0.1 lux
- Audio Input (Microphone)
- 160 Degree Horizontal Viewing Angle
- 120 Degree Vertical Viewing Angle
- Hydrophobic Coated Lens Repels Water to Improve Visibility
- ASTM D4329 (UV) Certified
- Auto Gain Control (AGC)
- Auto White Balance
- Mirror / True Image Selectable
- Active Pixels: 348,160 (680 horizontal × 512 vertical)
- Tilt Adjustable Mounting Bracket Included Compact Connector
- 23-feet (7m) RCA and Power Connections
- Dimensions (inches): 29/32" (H) × 29/32" (W) × 7/8" (D)

Most models marked with NEW will be available in Q1, 2018 while some are already available. Please check with your Clarion sales representative for details.

★★★★★ EASY INSTALLATION. GREAT SOUND QUALITY!

"Great compact amplifier [Clarion XC2410]. Great product for the price. Easy to adjust and tune. Small and compact. Straight forward installation. Would definitely recommend."

C.H. from Tennessee

★★★★★ GREAT REPLACEMENT!

"Replaced an older model Clarion subwoofer exposed to the elements. Old one lasted 8 years before getting dried out and buzzy, which is respectable to me. This sub was a drop-in replacement. 5 minutes to swap and no more buzz, just pure bass ..."

J.C. from Ohio

★★★★★ NICE COMPACT AMP!

"This is a nice little amp [XC2410]. It installed easily and sounds good. I actually didn't realize that it's a "POWERSPORTS" amp, which although I didn't install it in a boat, it should make it durable since I do live in a humid climate with large temperature swings."

T.C. from Michigan

★★★★★ SOLID UNIT!

"This GR10BT delivers good sound and good looks. Very solid and well built."

G.F. from South Carolina

★★★★★ FIVE STARS

"Radio [CMS2] is perfect. Bluetooth is awesome!"

B.A. from California

★★★★★ EASY HOOK-UP!

"This [MF1] is an excellent product. Easy to plug in. Worked first time with no problems. Easy to use."

A.A. from Virginia

★★★★★ CLARION QUALITY

"Another great Clarion product [M606]. Well made and looks great! Blue accent lighting with dimmer is a nice touch. Buttons and knobs have a solid, quality feel to them and are laid out nicely. This unit fit into the usual single din cutout but has a larger faceplate/display with larger buttons and knobs that are much easier to use. Last but not least, it sounds great! Even with no amp hooked in, the sound is loud, clean and powerful."

J.P. from Oregon

clarion®

CLARION CORPORATION OF AMERICA

6200 Gateway Drive
Cypress, CA 90630, U.S.A.

800-GO-CLARION (462-5274)



www.clarion.com | www.clarionpowersports.com

